

**BALL**  
**OFFICIAL**  **STANDARD**  
*Since 1891*  
*Accuracy under adverse conditions*

COLLECTION 2017

**TO BE YOURSELF**

[www.ballwatch.com](http://www.ballwatch.com)



TO BE YOURSELF

---

# BALL Collection 2017 | Contents

---

Engineer Hydrocarbon	DEVGRU	5
Engineer Master II	Aviator	9
Engineer II	PowerLIGHT 72	13
Engineer III	Bronze Star	17
Engineer III	Silver Star	21
Engineer III	King	28
Trainmaster	Worldtime Chronograph	37
Fireman	NECC	42
Fireman	Racer DLC	45
Fireman	Storm Chaser DLC Glow	48

*Models, technical features, pictures and prices are subject to further modifications without notice.*

---

# Engineer Hydrocarbon

---

# Engineer Hydrocarbon DEVGRU

*DEVGRU: United States Naval Special Warfare Development Group*

<b>Movement</b>	Automatic caliber BALL RR1102-SL SpringLOCK® patented anti-shock system Patented regulator anti-shock system
<b>Functions</b>	59 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistance rate to be further certified by testing institute Anti-magnetic to 4,800A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
<b>Case</b>	Stainless steel Ø 42mm, height 13.4mm Patented shock absorption system Anti-reflective sapphire crystal with outer protective flange Patented crown protection system
<b>Band</b>	Tapered stainless steel bracelet with patented folding buckle & extension system or rubber strap with standard buckle
<b>Dial</b>	Black or blue
<b>Reference-Nr.</b>	NM3200C-SJ/-PJ-BK/-BE





# Engineer Hydrocarbon DEVGRU



NM3200C-SJ-BK



NM3200C-SJ-BE



NM3200C-PJ-BK



NM3200C-PJ-BE



# Engineer Hydrocarbon DEVGRU



---

# Engineer Master II

---



# Engineer Master II Aviator

<b>Movement</b>	Automatic caliber BALL RR1102
<b>Functions</b>	66 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
<b>Case</b>	Stainless steel Ø 46mm, height 11.55mm Mu-metal shield Anti-reflective convex sapphire crystal Screwed-in crown
<b>Band</b>	Stainless steel bracelet with folding buckle or calf leather or rubber strap with standard buckle
<b>Dial</b>	Black
<b>Reference-Nr.</b>	NM1080C-S14A/L14A/-P14A-BK



# Engineer Master II Aviator



NM1080C-S14A-BK



NM1080C-L14A-BK



NM1080C-P14A-BK



# Engineer Master II Aviator



---

# Engineer II

---

# Engineer II PowerLIGHT 72

<b>Movement</b>	Automatic caliber BALL RR1107-C Chronometer certified COSC 72 hour power reserve
<b>Functions</b>	27 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds and magnified date
<b>Case</b>	Stainless steel Ø 40mm, height 11.55mm Mu-metal shield Anti-reflective sapphire crystal Screwed-in crown
<b>Band</b>	Stainless steel bracelet with folding buckle
<b>Dial</b>	Black
<b>Reference-Nr.</b>	NM2126C-S1C-BK





# Engineer II PowerLIGHT 72



NM2126C-S1C-BK



# Engineer II PowerLIGHT 72



---

# Engineer III

---

# Engineer III Bronze Star

<b>Limited Edition</b>	3,000 pieces
<b>Movement</b>	Automatic caliber BALL RR1102-SL SpringLOCK® patented anti-shock system
<b>Functions</b>	14 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
<b>Case</b>	Bronze Ø 43mm, height 13.45mm Mu-metal shield Amortiser® patented anti-shock system Anti-reflective sapphire crystal Screwed-in crown
<b>Band</b>	Calf leather strap with standard buckle
<b>Dial</b>	Black with Naval Aviator or USAF Pilot Wings Insignia
<b>Reference-Nr.</b>	NM2186C-L1J/-L2J-BK



# Engineer III Bronze Star



**NM2186C-L1J-BK**  
Naval Aviator Insignia



**NM2186C-L2J-BK**  
USAF Pilot Wings Insignia





# Engineer III Bronze Star



# Engineer III Bronze Star



# Engineer III Silver Star

<b>Movement</b>	Automatic caliber BALL RR1102-SL SpringLOCK® patented anti-shock system
<b>Functions</b>	14 micro gas tubes on hour, minute and second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
<b>Case</b>	Stainless steel Ø 40mm, height 13.45mm or Ø 46mm, height 13.55mm Mu-metal shield Amortiser® patented anti-shock system Anti-reflective sapphire crystal Screwed-in crown
<b>Band</b>	Stainless steel bracelet with folding buckle or calf leather strap with standard buckle
<b>Dial</b>	Black or blue with Naval Aviator or USAF Pilot Wings Insignia
<b>Reference-Nr.</b>	Ø 40mm: NM2182C-S2/-S3/-L2/-L3-BK/-BE Ø 46mm: NM2180C-S2/-S3/-L2/-L3-BK/-BE





# Engineer III Silver Star (40mm)



**NM2182C-S2J-BK**

Naval Aviator Insignia



7 520100 006274



**NM2182C-S3J-BK**

USAF Pilot Wings Insignia



7 520100 006373



**NM2182C-L2J-BK**

Naval Aviator Insignia



7 520100 006298



**NM2182C-L3J-BK**

USAF Pilot Wings Insignia



7 520100 006397



# Engineer III Silver Star (40mm)



**NM2182C-S2J-BE**

Naval Aviator Insignia



7 520100 006281



**NM2182C-S3J-BE**

USAF Pilot Wings Insignia



7 520100 006380



**NM2182C-L2J-BE**

Naval Aviator Insignia



7 520100 006304



**NM2182C-L3J-BE**

USAF Pilot Wings Insignia



7 520100 006403





# Engineer III Silver Star (46mm)



**NM2180C-S2J-BK**  
Naval Aviator Insignia



**NM2180C-S3J-BK**  
USAF Pilot Wings Insignia



**NM2180C-L2J-BK**  
Naval Aviator Insignia



**NM2180C-L3J-BK**  
USAF Pilot Wings Insignia



# Engineer III Silver Star (46mm)



**NM2180C-S2J-BE**

Naval Aviator Insignia



7 520100 006328



**NM2180C-S3J-BE**

USAF Pilot Wings Insignia



7 520100 006342



**NM2180C-L2J-BE**

Naval Aviator Insignia



7 520100 006342



**NM2180C-L3J-BE**

USAF Pilot Wings Insignia



7 520100 006458



# Engineer III Silver Star





# Engineer III Silver Star



# Engineer III King

<b>Movement</b>	Automatic caliber BALL RR1102
<b>Functions</b>	64 (Ø 40mm case) / 66 (Ø 43mm case) micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Anti-magnetic to 80,000A/m Water resistant to 100m/330ft Hours, minutes, sweep seconds, day and date
<b>Case</b>	Stainless steel or Stainless steel with TiC Titanium carbide coating Ø 40mm or 43mm, height 13.6mm Mu-metal shield Anti-reflective sapphire crystal Amortiser® patented anti-shock system DuraLOCK® patented screwed-in crown
<b>Band</b>	Stainless steel bracelet with folding buckle or calf leather strap with standard buckle
<b>Dial</b>	Black or blue
<b>Reference-Nr.</b>	Ø 40mm: NM2026C-S12A /-L12A/-L13A-BK/-BE Ø 43mm: NM2028C-S12A /-L12A/-L13A-BK/-BE





# Engineer III King (40mm)



NM2026C-S12A-BK



NM2026C-L12A-BK



NM2026C-L13A-BK



# Engineer III King (40mm)



NM2026C-S12A-BE



NM2026C-L12A-BE



NM2026C-L13A-BE



# Engineer III King (43mm)



NM2028C-S12A-BK



NM2028C-L12A-BK



NM2028C-L13A-BK



# Engineer III King (43mm)



NM2028C-S12A-BE




NM2028C-L12A-BE



NM2028C-L13A-BE



# Engineer III King | DuraLOCK® patented screwed-in crown





# Engineer III King



# Engineer III King



---

# Trainmaster

---

# Trainmaster Worldtime Chronograph

<b>Movement</b>	Automatic caliber BALL RR1502
<b>Functions</b>	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Chronograph with accumulated measurement up to 12 hours Worldtime display Shock resistant to 5,000Gs Water resistant to 50m/160ft Hours, minutes, subsidiary seconds, day and date
<b>Case</b>	Stainless steel Ø 42mm, height 13.7mm Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
<b>Band</b>	Stainless steel bracelet with folding buckle or crocodile leather strap with standard or folding buckle
<b>Dial</b>	Black with red/white 24-hour disk Silver with blue/white 24-hour disk Silver with red/white 24-hour disk
<b>Reference-Nr.</b>	CM2052D-S1J/-LL1J/-BKRD/-SLBE/-SLRD



# Trainmaster Worldtime Chronograph



CM2052D-S1J-BKRD



CM2052D-S1J-SLBE



CM2052D-S1J-SLRD





# Trainmaster Worldtime Chronograph



**CM2052D-LL1J-BKRD**

Strap with standard buckle



7 520100 006731

**CM2052D-LL1FJ-BKRD**

Strap with folding buckle



7 520100 006762



**CM2052D-LL1J-SLBE**

Strap with standard buckle



7 520100 006748

**CM2052D-LL1FJ-SLBE**

Strap with folding buckle



7 520100 006779



**CM2052D-LL1J-SLRD**

Strap with standard buckle



7 520100 006755

**CM2052D-LL1FJ-SLRD**

Strap with folding buckle



7 520100 006786

# Trainmaster Worldtime Chronograph



---

# Fireman

---

# Fireman NECC

<b>Movement</b>	Automatic caliber BALL RR1103
<b>Functions</b>	13 micro gas tubes on hour and minute hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 300m/1,000ft Hours, minutes, sweep seconds and magnified date
<b>Case</b>	Stainless steel with TiC Titanium carbide coating Ø 42mm, height 13.2mm Stainless steel rotating bezel Anti-reflective sapphire crystal Sapphire crystal case back Screwed-in crown
<b>Band</b>	Rubber strap with standard buckle
<b>Dial</b>	Black
<b>Reference-Nr.</b>	DM3090A-P4J-BK



**BALL**  
OFFICIAL  STANDARD  
Since 1891

# Fireman NECC



DM3090A-P4J-BK





# Fireman NECC



# Fireman Racer DLC

<b>Movement</b>	Automatic caliber BALL RR1103
<b>Functions</b>	15 micro gas tubes on hour, minute, second hands and dial for night reading capability Shock resistant to 5,000Gs Water resistant to 100m/330ft Hours, minutes, sweep seconds and date
<b>Case</b>	Stainless steel with DLC coating Ø 43mm, height 11.35mm Anti-reflective sapphire crystal Screwed-in crown
<b>Band</b>	Rubber or calf leather strap with standard buckle
<b>Dial</b>	Black with brown numerals and index
<b>Reference-Nr.</b>	NM3098C-P1J/-L1J-BKBR



# Fireman Racer DLC



NM3098C-P1J-BKBR



NM3098C-L1J-BKBR



# Fireman Racer DLC





# Fireman Storm Chaser DLC Glow

<b>Limited Edition</b>	1,999 pieces
<b>Movement</b>	Automatic caliber BALL RR1402
<b>Functions</b>	39 micro gas tubes on hour and minute hands and dial for night reading capability Chronograph with accumulated measurement up to 12 hours Tachymeter Shock resistant to 5,000Gs Water resistant to 100m/330ft Hours, minutes, subsidiary seconds, day and date
<b>Case</b>	Stainless steel with DLC coating Ø 43mm, height 15.45mm Anti-reflective sapphire crystal Screwed-in crown
<b>Band</b>	Calf leather strap with standard buckle
<b>Dial</b>	Grey or white
<b>Reference-Nr.</b>	CM2192C-L4A-GY/-WH



# Fireman Storm Chaser DLC Glow



CM2192C-L4A-GY



CM2192C-L4A-WH



# Fireman Storm Chaser DLC Glow



---

## Be on the BALL!

---

Rich in the past, strong in diversity and pioneer in the field since 1891, our company is the key player in terms of design, know-how, quality and accuracy in the Swiss watch industry.

Today, more than ever, BALL Watch is continuing its journey and asserting its role as a key protagonist in the evolution of watchmaking history.

THE ADVENTURE CONTINUES...

# TO BE YOURSELF

---

[www.ballwatch.com](http://www.ballwatch.com)