


(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement # Ligne Size Thickness Functions Dial Feet Hands Cell

WATCH MOVEMENT WHOLESALE LISTING



**WE CARRY POPULAR &
HARD TO FIND CALIBERS:**

- Elemex
- ETA (swiss made & parts)
- Hattori
- ISA
- Miyota/Citizen
- Ronda
- Swiss Ebauche
- Seiko
- Timex
- Mechanical/Automatics

and more ...

Also Inside:

**Capacitors * Circuits * Date Wheels * Hands * Stems
and Interchange Information**

NEW CALIBERS (Listed 1st for Quick Reference)

ETA	901.001.3	5 1/2 x 6 3/4	2.20mm	Gold plated, Ht. #3	6 1/2 & 11 1/2	70/120	321
ETA	955.112.3	11 1/2 Round	2.50mm	D, Swp, Ht.#3	2 1/2 & 8 1/2	70/120/20	371
ETA	956.112.3	7 3/4 Round	2.50mm	D, Swp, Ht. #3	4 & 11	70/120/20	364
ETA	F03.111-2H	7 3/4 Round	2.50mm	D, 2-Hand, 3 jew	4 & 11	70/120/20	364
ETA	F05.111-2H	10 1/2 Round	2.50mm	D, 2-Hand, 3 jew	2 & 8	70/120/20	371
ETA	F06.111-2H	11 1/2 Round	2.50mm	D, Swp, 3 jew	2 1/2 & 8 1/2	70/120/20	371
Hattori	VJ 42	11 1/2	2.71mm	D, Swp	1 & 7	70/120/20	364
Hattori	VJ 43	11 1/2	2.94mm	DD, Swp	1 & 7	70/120/20	364
Hattori	VJ 45	11 1/2	2.94mm	Day@12, D@6	1 & 7	70/120/20	364
Hattori	VJ 52	12 1/2	2.71mm	D, Swp	1 & 7	70/120/20	364
Hattori	VJ 53	12 1/2	2.94mm	DD, Swp	1 & 7	70/120/20	364
Hattori	VX 3L	10 1/2	3.05mm	DD, Swp (6-Hand)	1 & 7	65/110/20	373
Hattori	VX 3N	10 1/2	3.05mm	DD, Swp (3H/3-Eye)	1 & 7	65/110/20	373
Hattori	VX 3T	10 1/2	3.05mm	DD, Swp (3H/3-Eye)	1 & 7	65/110/20	373

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
NEW CALIBERS (continued)							
ISA	8171/201	11 1/2 Round	3.70mm	Chr, D@6, 2-eye	2 1/2 & 8 1/2	90/150/20/18	395
ISA	8171/202	11 1/2 Round	3.70mm	Chr, D@4, 3-eye	2 1/2 & 8 1/2	90/150/20/18	395
ISA	8171/204	11 1/2 Round	3.70mm	Chr, D@4, Mn, 2-eye	2 1/2 & 8 1/2	90/150/20/18	395
ISA	8172/220	11 1/2 Round	4.20mm	Chr, D@4, 3-eye	2 1/2 & 8 1/2	90/150/20/18	399
ISA	K83/103 @ 6	8 3/4 Round	2.95mm	D@6, Swp	4 & 11 1/2	70/120/18	362
MIYOTA	2034	6 3/4 x 8	2.89mm	High Torque Swp	7 & 11 1/2	70/120/17	377
MIYOTA	2305	11 1/2 Round	4.15mm	DD, Swp	5 & 11	70/120/17	377
MIYOTA	2315	11 1/2 Round	4.15mm	D, Swp	4 & 10	70/120/17	377
MIYOTA	5Y26 HC	5 1/2 x 6 3/4	2.54mm	High Can Pin	6 1/2 & 11 1/2	70/120	379
MIYOTA	8N24	11 1/2 Round	4.80mm	Swp, 21 Jew, Skeleton	5 1/2 & 10 1/2	100/150/17	Auto
MIYOTA	9U15	10 1/2 Round	2.33mm	D	5 & 11	70/120/18	373
MIYOTA	FS10	10 1/2 Round	5.10mm	Chr, D@4, 6-hand	6 1/2 & 11	70/120/17	377
MIYOTA	FS11	10 1/2 Round	5.25mm	Chr, D@4, 6-hand	6 1/2 & 11	70/120/17	377
MIYOTA	FS20	10 1/2 Round	5.10mm	Chr, D@4, hang 6H	6 1/2 & 11	70/120/17	377
MIYOTA	FS21	10 1/2 Round	5.25mm	Chr, D@4, hang 6H	6 1/2 & 11	70/120/17	377
MIYOTA	FS60	10 1/2 Round	5.10mm	Chr, D@4, hang 6H	6 1/2 & 11	70/120/17	377
MIYOTA	GP00	12 Round	4.40mm	BIG Date, Swp	4 & 11	70/120/17	371
MIYOTA	GP10	12 Round	4.40mm	BIG Date, Sm Swp	4 & 11	70/120/17	371
MIYOTA	OS11	13 1/2 Round	4.13mm	D, Swp, 2-eye	2 1/2 & 9 1/2	70/120/17	399
RONDA	505 HC	10 1/2 Round	3.00mm	D, Swp, High Can Pin	2 & 8	70/120/20	371
RONDA	515 HC	11 1/2 Round	3.00mm	D, Swp	2 & 8	70/120/20	371
RONDA	715 HC	11 1/2 Round	2.55mm	D, Swp, High Can Pin	2 & 8	70/120/20	371
RONDA	753 HC	5 1/2 x 6 3/4	2.50mm	Swp, High Can Pin	6 1/2 & 11 1/2	70/120	379
RONDA	785 HC	8 3/4 Round	2.50mm	Swp, High Can Pin	4 & 11	70/120/20	364
RONDA	515.6 Sw	11 1/2 Round	3.00mm	Ht.#6, Luminex intchg	2 & 8	70/120/20	395
RONDA	715.6 LI Sw	11 1/2 Round	4.60mm	Ht.#6, Luminex intchg	2 & 8	70/120/20	CR2016
RONDA	705 Sw	10 1/2 Round	2.50mm	D, Swp, 5 jew Gold	2 & 8	70/120/20	371
RONDA	715 Sw	11 1/2 Round	2.55mm	D, Swp, 5 jew Gold	2 & 8	70/120/20	371
RONDA	775 Sw	7 3/4 Round	2.50mm	D, Swp, 5 jew Gold	4 & 11 1/2	70/120/20	364
RONDA	4003.B Sw	12 1/2 Round	4.40mm	BIG D@12, Swp	6 1/2 & 11 1/2	90/150/25	395
RONDA	4120.B	12 1/2 Round	4.40mm	Chr, BIG D@6, 2-eye	6 1/2 & 11 1/2	90/150/25	395
RONDA	4220.B Sw	12 1/2 Round	4.40mm	Chr, BIG D@6, 2-eye	6 1/2 & 11 1/2	90/150/25	395
RONDA	5010.B Sw	12 1/2 Round	4.40mm	Chr, BIG D, 1-eye	6 1/2 & 11 1/2	90/150/25	395
RONDA	5030.D	12 1/2 Round	4.40mm	Chr, D@4, 3-eye	6 1/2 & 11 1/2	90/150/25	395
RONDA	5040.B Sw	12 1/2 Round	4.40mm	Chr, BIG D@12, 3-eye	6 1/2 & 11 1/2	90/150/25	395
RONDA	5040.D	12 1/2 Round	4.40mm	Chr, D@4, 3-eye	6 1/2 & 11 1/2	90/150/25	395
RONDA	5050.B	12 1/2 Round	4.40mm	Chr, BIG D@6, 3-eye	6 1/2 & 11 1/2	90/150/25	395
RONDA	6003.B	11 1/2 Round	3.30mm	BIG D@12, Swp	1 1/2 & 6 1/2	70/120/20	373
RONDA	6004.B	11 1/2 Round	3.30mm	BIG ,D@12, 1-eye	1 1/2 & 6 1/2	70/120	373
RONDA	7003.L Sw	15 Round	5.60mm	BIG D@12, Retro@6	12 1/2 & 6 1/2	90/150/25	381

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
------------	------------	-----------	-----------	-----------	-------	------

Watch Movement Listing

ELEMEX

Disc.	2550	5 1/2 x 6 3/4	2.70mm	Swp	1 1/2 & 5	70/120/20	379
	3D10	6 3/4 x 8	2.50mm	Swp	5 1/2 & 12 1/2	70/120/18	364
	3D44	6 3/4 x 8	2.50mm		5 1/2 & 12 1/2	70/120	364
	5D15	10 1/2	2.50mm	Swp	5&11, 7&12 1/2	70/120/18	371
	5D16	10 1/2	4.50mm	Swp	5&11, 7&12 1/2	70/120/18	CR2016
	5D20	10 1/2	3.30mm	D, Swp	5&11, 7&12 1/2	70/120/18	371

ETA

LIMITED	201.001	4 1/4 Round	2.25mm		N/A	50/90	321
LIMITED	210.001	9 1/4 Round	0.98mm		2 3/4 & 6 1/4	50/100	341
LIMITED	210.011	9 1/4 Round	1.50mm	D	2 1/4 & 6 1/2	50/100	341
Disc.	251.252	13 1/4 Round	5.00mm	Chr, D	1 1/2 & 6 1/2	120/150/20	394
	251.262	13 1/4 Round	5.00mm	Chr,D@4, 4H/3-Eye	1 1/2 & 7 1/2	150/200/30/80	394
LIMITED	251.265	13 1/4 Round	5.00mm	Chr, Alm, 3H/3-Eye	1 1/2 & 7 1/2	150/200/26/20	394
	251.272	13 1/4 Round	4.60mm	Chr,D@4, 3H/3-Eye	1 1/2 & 7 1/2	80/150/200	394
	251.471	10 1/2 Round	4.70mm	Chr,D@4, 3H/3-Eye	5 1/2 & 11 1/2	90/150/30/20	394
LIMITED	252.611	11 1/2 Round	4.40mm	Perpetual Cal, Swp	2 1/2 & 8	70/120/20	CR2016
	255.112	11 1/2 Round	1.95mm	D, Swp	2 1/2 & 8 1/2	70/120/20	373
Disc.	255.121	11 1/2 Round	2.45mm	DD, Swp	2 1/2 & 8 1/2	70/120/20	373
Disc.	255.122	11 1/2 Round	2.45mm	Day@12, D, Swp	2 1/2 & 8 1/2	70/120/20	373
Disc.	255.241	10 1/2 Round	3.50mm	D, Remote Swp	1 1/2 & 7 1/2	70/120/20/20	395
Disc.	255.266	11 1/2 Round	2.45mm	D, 24hr, Swp	2 1/2 & 7 1/2	70/120/20	373
	255.412	10 1/2 Round	1.95mm	D, Swp	1 1/2 & 7 1/2	70/120/20	373
Disc.	255.421	10 1/2 Round	2.45mm	DD, Swp	1 1/2 & 7 1/2	70/120/20	373
	255.441	10 1/2 Round	1.95mm	D	1 1/2 & 8	70/120	373
	255.461	10 1/2 Round	2.45mm	D, Swp	1 1/2 & 7 1/2	70/120/20	373
Disc.	255.465	10 1/2 Round	2.85mm	D, Swp	1 1/2 & 7 1/2	70/120/20	373
Disc.	255.481	10 1/2 Round	2.70mm	Chr, DD, Mn, Swp	2 & 8	70/120/160/20	373
Disc.	255.483	10 1/2 Round	2.70mm	Chr, D, Mn, Swp	2 & 8	70/120/160/20	373
Disc.	255.563	10 1/2 Round	2.45mm	D, Swp		70/120/20	373
	256.031	8 1/4 Round	1.95mm		5 & 11	70/120	315
	256.041	8 1/4 Round	1.95mm	D	5 & 11	70/120	315
	256.111	8 1/4 Round	1.95mm	D, Swp	5 & 11	70/120/20	315
LIMITED	256.513	8 1/4 Round	1.95mm	D, Swp	5 & 11	70/120/20	315
	280.002	3 3/4 x 6 3/4	1.80mm		4 & 9 1/2	55/100	321
Disc.	281.001	5 1/2 x 6 3/4	0.98mm		6 1/2 & 11 1/2	55/100	751
	282.001	5 1/2 x 8	1.20mm		5 1/2 & 11 1/2	55/100	346
Disc.	400.001	6 3/4 x 8	2.75mm		3 1/2 & 8 1/2	70/120	377
Disc.	400.101	6 3/4 x 8	2.75mm	Swp	3 12/ & 8 1/2	70/120/20	377

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
Disc.	400.111 @ 6	8 1/4 Round	3.25mm	D@6, Swp	1 1/2 & 8 1/2	70/120/20	377
LIMITED	400.411 @ 6	10 Round	3.25mm	D@6, Swp	1 1/2 & 8 1/2	70/120/20	377
LIMITED	556.125	7 3/4 Round	3.25mm	DD, Swp	5 & 11	70/120/20	364
Disc.	581.001	8 3/4 Round	3.20mm	Remote Swp	5 1/2 & 11	60/110/16	397
Disc.	801.004	5 1/2 x 6 3/4	2.50mm		6 1/2 & 11 1/2	70/120	379
Disc.	801.104	5 1/2 x 6 3/4	2.50mm	Swp	6 1/2 & 11 3/4	70/120/20	379
Disc.	802.005	6 3/4 x 8	2.95mm		3 1/2 & 8 1/2	70/120	377
Disc.	802.105	6 3/4 x 8	2.95mm	Swp	3 1/2 & 8 1/2	70/120/20	377
Disc.	803.114	8 3/4 Round	3.40mm	D, Swp	4 & 11	70/120/20	377
LIMITED	803.114 @ 6	8 3/4 Round	3.40mm	D@6, Swp	4 & 11	70/120/20	377
Disc.	803.124	8 3/4 Round	3.65mm	DD, Swp	4 & 11	70/120/20	377
Disc.	804.114	10 1/2 Round	3.40mm	D, Swp	2 & 8	70/120/20	397
Disc.	804.114 @ 6	10 1/2 Round	3.40mm	D@6, Swp	2 & 8	70/120/20	397
LIMITED	804.124	10 1/2 Round	3.65mm	DD, Swp	2 & 8	70/120/20	397
LIMITED	804.192	10 1/2 Round	3.40mm	D, Alm, Swp	2 & 8	70/120/20	397
	805.111	11 1/2 Round	3.40mm	D, Swp, Swiss	2 1/2 & 8 1/2	70/120/20	397
LIMITED	805.114	11 1/2 Round	3.40mm	D, Swp	2 1/2 & 8 1/2	70/120/20	397
LIMITED	805.114 @ 6	11 1/2 Round	3.40mm	D@6, Swp	2 1/2 & 8 1/2	70/120/20	397
Disc.	805.124	11 1/2 Round	3.65mm	DD, Swp	2 1/2 & 8 1/2	70/120/20	397
Disc.	805.144	11 1/2 Round	3.65mm	Day@12, D, Swp	2 1/2 & 8 1/2	70/120/20	397
Disc.	805.161	11 1/2 Round	3.65mm	D, 24hr, Swp	2 1/2 & 8 1/2	70/120/20/160	397
	901.001	5 1/2 x 6 3/4	2.20mm	High Cannon Pinnion	6 1/2 & 11 1/2	70/120	321
NEW	901.001.3	5 1/2 x 6 3/4	2.20mm	Gold plated, Ht. #3	6 1/2 & 11 1/2	70/120	321
Disc.	901.005	5 1/2 x 6 3/4	2.20mm		6 1/2 & 11 1/2	70/120	321
	902.002	5 1/2 x 6 3/4	2.20mm	4 jew, Gold plated	7 & 11 1/2	70/120	364
Disc.	902.005	6 3/4 x 8	2.35mm		7 & 11 1/2	70/120	364
	902.101	5 1/2 x 6 3/4	2.20mm	Swp, 4 jew	7 & 11 1/2	70/120/20	364
LIMITED	902.105	6 3/4 x 8	2.35mm	Swp	7 & 11 1/2	70/120/20	364
LIMITED	902.505	6 3/4 x 8	2.35mm	Remote Swp	7 & 11 1/2	70/120/20	364
Disc.	927.402	5 1/2 x 8	2.95mm	Swp	5 1/2 & 11 1/2	70/100/20	362
	955.112	11 1/2 Round	2.50mm	D, Swp	2 1/2 & 8 1/2	70/120/20	371
	955.112-2H	11 1/2 Round	2.50mm	D, 2-Hand	2 1/2 & 8 1/2	70/120	371
NEW	955.112.3	11 1/2 Round	2.50mm	D, Swp, Ht.#3	2 1/2 & 8 1/2	70/120/20	371
Disc.	955.114-2H	11 1/2 Round	2.50mm	D	2 1/2 & 8 1/2	70/120/20	371
Disc.	955.124	11 1/2 Round	3.00mm	DD, Swp	2 1/2 & 8 1/2	70/120/20	371
	955.132	11 1/2 Round	3.00mm	D@12, D, Swp	2 1/2 & 8 1/2	70/120/20	371
	955.132 @ 6	11 1/2 Round	3.00mm	D@12, D@6, Swp	2 1/2 & 8 1/2	70/120/20	371
	955.412	10 1/2 Round	2.50mm	D, Swp	2 & 8	70/120/20	371
	955.412-2H	10 1/2 Round	2.50mm	D, 2-Hand	2 & 8	70/120	371
NEW	955.412.3	10 1/2 Round	2.50mm	D, Swp, Ht.#3	2 & 8	70/120/20	371
Disc.	955.414	10 1/2 Round	2.50mm	D, Swp	2 & 8	70/120/20	371

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
Disc.	955.424	10 1/2 Round	3.00mm	DD, Swp	2 & 8	70/120/20	371
	955.432	10 1/2 Round	2.50mm		2 & 8	70/120	371
	956.032	7 3/4 Round	2.50mm	7 jew, Gold plated	4 & 11	70/120	364
	956.112	7 3/4 Round	2.50mm	D, Swp	4 & 11	70/120/20	364
	956.112-2H	7 3/4 Round	2.50mm	D, 2-Hand	4 & 11	70/120	364
NEW	956.112.3	7 3/4 Round	2.50mm	D, Swp, Ht. #3	4 & 11	70/120/20	364
Disc.	956.114	7 3/4 Round	2.50mm	D, Swp	4 & 11	70/120/20	364
	956.119@6						
Disc.	956.124	7 3/4 Round	3.00mm	DD, Swp	5 & 11	70/120/20	364
	956.412	8 3/4 Round	2.50mm	D, Swp	4 & 11	70/120/20	362
Disc.	956.414	8 3/4 Round	2.50mm	D, Swp	4 & 11	70/120/20	362
	976.001	5 1/2 x 6 3/4	1.95mm	6 jew, Gold plated	7 & 11 1/2	55/100	321
	980.106	5 1/2 x 6 3/4	2.20mm	Swp	6 1/2 & 11 1/2	70/120/20	317
LIMITED	980.108	5 1/2 x 6 3/4	2.20mm	Swp	6 1/2 & 11 1/2	70/120/20	317
	980.153	5 1/2 x 6 3/4	2.20mm	Remote Swp (Ldy)	6 1/2 & 11 1/2	70/120/20	317
LIMITED	980.153 HC	5 1/2 x 6 3/4	2.20mm	High Cannon Pinnion	6 1/2 & 11 1/2	70/120/20	317
	980.163	5 1/2 x 6 3/4	2.20mm	Remote Swp (Gnt)	6 1/2 & 11 1/2	70/120/20	317
LIMITED	980.163 HC	5 1/2 x 6 3/4	2.20mm	High Cannon Pinnion	6 1/2 & 11 1/2	70/120/20	317
LIMITED	988.333	9 3/4 x 11 1/2	3.25mm	Ana dig (Alm, Timer, chr)	2 1/2 & 8 1/2		370
NEW	E01.001	4 7/8 Round	2.50mm	5 jew, Gold plated	6 1/2 & 11 1/2	55/100	335
NEW	E03.001	5 12/ x 6 3/4	1.35mm		6 1/2 & 11 1/2	55/100	335
	F03.111	7 3/4 Round	2.50mm	D, Swp, 3 jew	4 & 11	70/120/20	364
NEW	F03.111 @ 6	7 3/4 Round	2.50mm	D@6, Swp, 3 jew	4 & 11	70/120/20	364
NEW	F03.111-2H	7 3/4 Round	2.50mm	D, 2-Hand, 3 jew	4 & 11	70/120/20	364
Disc.	F03.11A	7 3/4 Round	2.50mm	D, Swp	4 & 11	70/120/20	364
Disc.	F03.11A @ 6	7 3/4 Round	2.50mm	D@6, Swp	4 & 11	70/120/20	364
	F04.111	8 3/4 Round	2.50mm	D, Swp, 3 jew	4 & 11	70/120/20	364
Disc.	F04.11A	8 3/4 Round	2.50mm	D, Swp	4 & 11	70/120/20	364
	F05.111	10 1/2 Round	2.50mm	D, Swp, 3 jew	2 & 8	70/120/20	371
NEW	F05.111 @ 6	10 1/2 Round	2.50mm	D@6, Swp, 3 jew	2 & 8	70/120/20	371
NEW	F05.111-2H	10 1/2 Round	2.50mm	D, 2-Hand, 3 jew	2 & 8	70/120/20	371
Disc.	F05.11A	10 1/2 Round	2.50mm	D, Swp	2 & 8	70/120/20	371
Disc.	F05.11A @ 6	10 1/2 Round	2.50mm	D@6, Swp	2 & 8	70/120/20	371
	F06.111	11 1/2 Round	2.50mm	D, Swp, 3 jew	2 1/2 & 8 1/2	70/120/20	371
NEW	F06.111-2H	11 1/2 Round	2.50mm	D, Swp, 3 jew	2 1/2 & 8 1/2	70/120/20	371
Disc.	F06.11A	11 1/2 Round	2.50mm	D, Swp	2 1/2 & 8 1/2	70/120/20	371
	G10.211	14 1/4 Round	5.12mm	Chr, D@4, 6-hand	5 & 10 1/2	90/150/25	394
Disc.	G10.21A	13 1/4 Round	5.12mm	Chr, D@4, 6-hand	5 & 10 1/2	90/150/25	394
	G10.711 (N3)	13 1/4 Round	5.62mm	Chr, D@4, Horz.	5 & 10 1/2	90/150/25/20	394
Disc.	G10.71A (N3)	13 1/4 Round	5.62mm	Chr, D@4, Horz.	5 & 10 1/2	90/150/25/20	394

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
	G10.711 (N4)	13 1/4 Round	5.62mm	Chr, D@4, Hanging	5 & 10 1/2	90/150/25/20	394
Disc.	G10.71A (N4)	13 1/4 Round	5.62mm	Chr, D@4, Hanging	5 & 10 1/2	90/150/25/20	394
	G15.211	13 1/4 Round	5.25mm	Chr, D@4, 6-hand	5 & 11	90/150/30/20	394
Disc.	G15.21A	13 1/4 Round	5.25mm	Chr, D@4, 6-hand	5 & 11	90/150/30/20	394
NEW	G15.261	10 1/2 Round	5.25mm	Chr, D@4, 6-hand	5 & 11		394

FE - French Ebauche

Disc.	2031	10 1/2 Round	2.65mm	D, Swp	2 1/2 & 8 1/2	70/120/20	371
LIMITED	2131	11 1/2 Round	2.65mm	D, Swp	2 1/2 & 8 1/2	70/120/20	371
Disc.	5120	5 1/2 x 6 3/4	2.60mm		3 1/2 & 8	70/120	379
Disc.	5130	5 1/2 x 6 3/4	2.60mm	Swp	3 1/2 & 8	70/120/20	379
LIMITED	5820	5 1/2 x 6 3/4	3.26mm		4 & 8	55/100	379
Disc.	6120	6 3/4 x 8	2.60mm		3 1/2 & 8 1/2	70/120	364
Disc.	6130	6 3/4 x 8	2.60mm	Swp	3 1/2 & 8 1/2	70/120/20	364
Disc.	6220	6 3/4 x 8	3.05mm		7 & 11 1/2	70/120	377
Disc.	6230	6 3/4 x 8	3.05mm	Swp	7 & 11 1/2	70/120/20	377
Disc.	6320	6 3/4 x 8	3.60mm		3 1/2 & 8 1/2	60/100	397
Disc.	7021	8 3/4 Round	3.10mm	D, Swp	4 1/2 & 11 1/2	70/120/20	362
LIMITED	7029	8 3/4 Round	3.58mm	D, Mn, Swp	4 & 11	70/120/20	362
Disc.	7121	10 1/2 Round	3.10mm	D, Swp	2 1/2 & 8 1/2	70/120/20	371
Disc.	7129	10 1/2 Round	3.40mm	D, Mn, Swp	1 1/2 & 7 1/2	70/120/20	371
Disc.	7221	11 1/2 Round	3.10mm	D, Swp	2 1/2 & 8 1/2	70/120/20	371
Disc.	7931	10 1/2 Round	3.70mm	D, Swp	2 1/2 & 8 1/2	70/120/20	371
Disc.	10031	10 1/2 Round	2.60mm	D, Swp	2 & 8	70/120/20/18	371
Disc.	11539	11 1/2 Round	3.61mm	Chr, Swp	2 1/2 & 8 1/2	70/120/20/18	371

HATTORI - Japanese

LIMITED	AL 20	6 3/4 x 8	2.99mm		1 & 5	65/110	397
Disc.	AL 21	6 3/4 x 8	2.99mm	Swp	1 & 5	65/110/20	397
	PC 10	5 1/2 x 6 3/4	3.15mm		5 1/2 & 11 1/2	70/120	319
	PC 11	5 1/2 x 6 3/4	3.15mm	Swp	5 1/2 & 11 1/2	70/120/20	319
	PC 20	6 3/4 x 8	3.15mm		7 & 11	70/120	377
	PC 21	6 3/4 x 8	3.15mm	Swp	5&11, 7&11	70/120/17	377
	PC 22	6 3/4 x 8	4.15mm	D, Swp	5&11, 7&11	70/120/17	377
	PC 22 @ 6	6 3/4 x 8	4.15mm	D@6, Swp	5&11, 7&11	70/120/17	377
	PC 23	6 3/4 x 8	4.15mm	DD, Swp	5&11, 7&11	70/120/17	377
	PC 29	6 3/4 x 8	4.15mm	Mn, Swp	7 & 11 1/2	70/120/17	377
	PC 32	10 1/2	4.15mm	D, Swp	5 & 11	70/120/20	377
	PC 32 @ 6	10 1/2	4.15mm	D@6, Swp	5 & 11	70/120/20	377
	PC 33	10 1/2	4.15mm	DD, Swp	5 & 11	70/120/20	377
Disc.	PC 39	10 1/2	4.15mm	Sn, Mn, Swp	4 & 10	70/120/17	377

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
Disc.	V 041	10 1/4 x 11	3.90mm	Ana Dig (Gold Dial)	2 & 8	N/A	396
LIMITED	V 400	5 1/2 x 6 3/4	2.10mm		5 1/2 & 12 1/2	45/90	317
LIMITED	V 401	5 1/2 x 6 3/4	2.30mm	Swp	5 1/2 & 12 1/2	65/110/18	317
Disc.	V 500	6 3/4 x 8	2.99mm		1 & 5	65/110	377
	V 501	6 3/4 x 8	2.99mm	Swp	1 & 5	65/110/20	377
Disc.	V 515	6 3/4 x 8	2.99mm	Swp	1 & 5	65/110/20	377
LIMITED	V 532	10 1/2	3.22mm	D, Swp	4 & 10	65/110/20	395
LIMITED	V 533/25	10 1/2	3.74mm	DD, Swp	4 & 10	65/110/20	395
Disc.	V 535	10 1/2	3.74mm	Sn, Mn, Swp	4 & 10	65/110/20	395
LIMITED	V 536	10 1/2	3.74mm	D, Swp	4 & 10	65/110/20	395
LIMITED	V 537	10 1/2	3.74mm	D, Swp	4 & 10	65/110/20	395
LIMITED	V 53L	10 1/2	2.90mm	Swp	4 & 10	65/110/20	371
Disc.	V 544	11 1/2	3.57mm	Day@12, D, Swp	1 1/2 & 7 1/2	65/110/20	395
Disc.	V 700 - 7N00	6 3/4 x 8	2.10mm		6 & 12 1/2	65/110/20	364
Disc.	V 701 - 7N01	6 3/4 x 8	2.10mm	Swp	6 & 12 1/2	65/110/20	364
Disc.	V 722	10 1/2	2.60mm	D, Swp	4 1/2 & 10 1/2	65/110/20	371
Disc.	V 729	10 1/2	2.60mm	D	4 1/2 & 10 1/2	65/110	371
Disc.	V 732 - 7N32	10 1/2	2.90mm	D, Swp	4 1/2 & 10 1/2	65/110/20	371
Disc.	V 733 - 7N33	10 1/2	2.90mm	DD, Swp	4 1/2 & 10 1/2	65/110/20	371
Disc.	V 742 - 7N42	11 1/2	2.90mm	D, Swp	4 1/2 & 10 1/2	65/110/20	371
Disc.	V 743 - 7N43	11 1/2	2.90mm	DD, Swp	4 1/2 & 10 1/2	65/110/20	371
Disc.	V 782 - 7N82	7 3/4	2.60mm	D, Swp	5 1/2 & 12	45/90/20	364
Disc.	V 783 - 7N83	7 3/4	2.90mm	DD, Swp	5 1/2 & 12	45/90/20	364
Disc.	V 785	7 3/4	2.60mm	D, Swp	5 1/2 & 12	45/90/20	364
Disc.	V 789 - 7N89	7 3/4	2.60mm	D	5 1/2 & 12	45/90/20	364
Disc.	V 800	6 3/4 x 8	1.90mm		2 1/2 & 7	65/110	321
Disc.	V 801	6 3/4 x 8	1.90mm	Swp	2 1/2 & 7	65/110/20	321
	V 810	5 1/2 x 6 3/4	3.00mm		6 & 11 1/2	65/110	319
	V 811	5 1/2 x 6 3/4	3.00mm	Swp	6 & 11 1/2	65/110/20	319
LIMITED	V 827	7 1/2 x 8 1/4	3.60mm	D, Swp	1&7, 6 & 11 1/2	65/110/20	377
Disc.	V 828	7 1/2 x 8 1/4	4.20mm	DD, Swp	1&7, 6 & 11 1/2	65/110/20	377
LIMITED	V 829	7 1/2 x 8 1/4	4.20mm	Sn, Mn, Swp	1&7, 6 & 11 1/2	65/110/20	377
	VB 20	3 3/4 x 6 3/4	2.20mm		1 & 6 1/2	45/90	379
	VC 00 - 4N00	4 3/4 x 6 1/2	2.38mm		6 & 11 1/2	65/110	379
	VC 01 - 4N01	4 3/4 x 6 1/2	2.38mm	Swp	6 & 11 1/2	65/110/20	379
	VC 10 - V 400	5 1/2 x 6 3/4	2.38mm		5 1/2 & 12 1/2	65/110	379
	VC 11 - V 401	5 1/2 x 6 3/4	2.38mm	Swp	5 1/2 & 12 1/2	65/110/20	379
	VD 53	12 3/4 Round	4.57mm	Chr, Swp	1 1/2 & 6 1/2	65/110/20	371
	VD 54	12 3/4 Round	3.97mm	Chr, Swp	1 1/2 & 6 1/2	65/110/20	371
	VD 55	12 3/4 Round	3.97mm	Chr, Swp	1 1/2 & 6 1/2	65/110/20	371

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
	VD 56	12 3/4 Round	3.97mm	Chr, Swp	1 1/2 & 6 1/2	65/110/20	371
	VD 57	12 3/4 Round	4.57mm	Chr, D, Swp	1 1/2 & 6 1/2	65/110/20	371
	VD 59	12 3/4 Round	4.57mm	Chr, Sn, Mn, Swp	1 1/2 & 6 1/2	65/110/20	371
NEW	VD 67	12 3/4 Round	4.57mm	Chr, D, Swp	1 1/2 & 6 1/2	65/110/20	371
NEW	VD 75	10 1/2 Round	3.45mm	DD, Rem Swp (2H/2E)	4 1/2 & 10	65/110/20	371
NEW	VD 78	10 1/2 Round	3.45mm	Remote Swp (2H/1E)	4 1/2 & 10	65/110/20	371
NEW	VD 79	10 1/2 Round	3.45mm	DD (2H/2E)	4 1/2 & 10	65/110/20	371
NEW	VD 86	10 1/2 Round	3.45mm	DD, Swp, Retro (2H/2E)	4 1/2 & 10	65/110/20	371
NEW	VD 87	10 1/2 Round	3.45mm	DD, Swp, Retro (2H/2E)	4 1/2 & 10	65/110/20	371
	VJ 12	8 3/4	2.71mm	D, Swp	1&7, 4&11	70/120/17	364
	VJ 14	8 3/4	2.71mm	D	1&7, 4&11	70/120	364
	VJ 20	6 3/4 x 8	2.28mm		5 1/2 & 11 1/2	70/120	364
	VJ 21	6 3/4 x 8	2.28mm	Swp	5 1/2 & 11 1/2	70/120/18	364
	VJ 22	6 3/4 x 8	2.71mm	D, Swp	5 1/2 & 11 1/2	70/120/18	364
NEW	VJ 22 @ 6	6 3/4 x 8	2.71mm	D@6, Swp	5 1/2 & 11 1/2	70/120/18	364
	VJ 23	6 3/4 x 8	2.71mm	DD, Swp	5 1/2 & 11 1/2	70/120/18	364
	VJ 24	6 3/4 x 8	2.71mm	D	5 1/2 & 11 1/2	70/120	364
	VJ 32	10 1/2	2.71mm	D, Swp	5 1/2 & 11 1/2	70/120/18	364
NEW	VJ 32 @ 6	10 1/2	2.71mm	D@6, Swp	5 1/2 & 11 1/2	70/120/18	364
	VJ 33	10 1/2	2.94mm	DD, Swp	5 1/2 & 11 1/2	70/120/18	364
	VJ 34	10 1/2	2.71mm	D	1 & 7	70/120	364
NEW	VJ 42	11 1/2	2.71mm	D, Swp	1 & 7	70/120/20	364
NEW	VJ 43	11 1/2	2.94mm	DD, Swp	1 & 7	70/120/20	364
NEW	VJ 45	11 1/2	2.94mm	Day@12, D@6	1 & 7	70/120/20	364
NEW	VJ 52	12 1/2	2.71mm	D, Swp	1 & 7	70/120/20	364
NEW	VJ 53	12 1/2	2.94mm	DD, Swp	1 & 7	70/120/20	364
NEW	VJ 55	12 1/2	2.94mm	Day@12, D@6	1 & 7	70/120/20	364
NEW	VJ 76	11 1/2	3.50mm	D, Swp	1 & 7	70/120/20	364
LIMITED	VP 31	10 1/2	3.22mm	Swp	7 & 11	65/110/20	399
LIMITED	VP 36	10 1/2	3.74mm	D, Swp	7 & 11	65/110/20	395
LIMITED	VP 39	10 1/2	3.74mm	DD, Swp	7 & 11	65/110/20	395
	VX 00 - 1N00	4 3/4 x 6 1/2	2.09mm		6 1/2 & 11 1/2	45/90	317
	VX 01 - 1N01	4 3/4 x 6 1/2	2.39mm	Swp	6 1/2 & 11 1/2	65/110/18	317
Disc.	VX 07	6 3/4 x 8	2.99mm	Remote Swp (Gnt)	6 1/2 & 12 1/2	65/110	364
Disc.	VX 08	6 3/4 x 8	2.99mm	Remote Swp (Ldy)	6 1/2 & 12 1/2	65/110	364
	VX 10	5 1/2 x 6 3/4	2.19mm		6 & 11	45/90	317
	VX 11	5 1/2 x 6 3/4	2.49mm	Swp	6 & 11	65/110/20	379
	VX 12	8 3/4	2.56mm	D, Swp	7 & 11	65/110/20	315
	VX 12 @ 6	8 3/4	2.56mm	D@6, Swp	7 & 11	65/110/20	315
	VX 18	8 3/4	2.56mm	D, Mn, Swp	7 & 11	65/110	315

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
	VX 32	10 1/2	2.56mm	D, Swp	1 & 7	65/110/20	373
	VX 32 @ 6	10 1/2	2.56mm	D@6, Swp	1 & 7	65/110/20	373
	VX 33	10 1/2	2.92mm	DD, Swp	1 & 7	65/110/20	373
	VX 36	10 1/2	3.05mm	DD, Swp	1 & 7	65/110/20	373
	VX 38	10 1/2	3.35mm	D, Mn, Swp	1 & 7	65/110/20	373
	VX 39	10 1/2	3.05mm	D, Mn, Swp	1 & 7	65/110/20	373
	VX 3F	10 1/2	3.05mm	Sn, Mn, Swp (6-H)	1 & 7	65/110/20	373
LIMITED	VX 3G	10 1/2	3.05mm	DD, Swp (7-Hand)	1 & 7	65/110/20	373
	VX 3H	10 1/2	3.05mm	DD, Swp (7-Hand)	1 & 7	65/110/20	373
	VX 3J	10 1/2	3.05mm	DD, Swp (6-Hand)	1 & 7	65/110/20	373
	VX 3K	10 1/2	2.62mm		1 & 7	65/110	373
NEW	VX 3L	10 1/2	3.05mm	DD, Swp (3H/3-Eye)	1 & 7	65/110/20	373
NEW	VX 3N	10 1/2	3.05mm	DD, Swp (3H/3-Eye)	1 & 7	65/110/20	373
NEW	VX 3T	10 1/2	3.05mm	DD, Swp (3H/3-Eye)	1 & 7	65/110/20	373
	VX 42	11 1/2	2.56mm	D, Swp	1 & 7	65/110/20	373
	VX 42 @ 6	11 1/2	2.56mm	D@6, Swp	1 & 7	65/110/20	373
	VX 43	11 1/2	2.92mm	DD, Swp	2 & 8	65/110/20	373
	VX 44	11 1/2	3.57mm	Day@12, D, Swp	2 & 8	65/110/20	395
	VX 50	6 3/4 x 8	2.14mm		1 & 5	65/110	321
	VX 51	6 3/4 x 8	2.28mm	Swp	1 & 5	65/110	364
	VX 82	7 3/4	2.75mm	D, Swp	5 1/2 & 12 1/2	65/110/20	364
	VX 82 @ 6	7 3/4	2.75mm	D@6, Swp	5 1/2 & 12 1/2	65/110/20	364
	VX 83	7 3/4	3.11mm	DD, Swp	5 1/2 & 12 1/2	65/110/20	364
	VX 89	7 3/4	2.75mm	D	5 1/2 & 12 1/2	65/110/20	364
	Y 120	6 3/4 x 8	2.99mm		1 & 5	65/110	377
	Y 121	6 3/4 x 8	2.99mm	Swp	1 & 5	65/110/20	377
	Y 121 HC	6 3/4 x 8	2.99mm	Swp, High Can Pin	1 & 5	65/110/20	377
Disc.	Y 520	4 1/4 Round	3.20mm		8 & 11	45/90	317
	YL 50	4 7/8 Round	2.78mm		2 & 11	45/90	335
	YL 60	4 3/4 x 5 1/2	2.09mm		2 & 6	45/90	337
	YL 61	4 3/4 x 5 1/2	2.09mm	Swp	2 & 6	65/100/18	337
Disc.	YM 52	12	3.70mm	Chr, D, 3-eye	1 1/2 & 7 1/2	65/110/20	399
LIMITED	YM 55	12	3.70mm	Chr, D, 3-eye	1 1/2 & 7 1/2	65/110/20	399
	YM 62	12	3.70mm	Chr, D, 3-eye	1 1/2 & 7 1/2	65/110/20	395
LIMITED	YM 92	12	3.70mm	Chr, D, 3-eye	1 1/2 & 7 1/2	65/110/20	395
LIMITED	YR 37	10 1/2	3.84mm	Alarm, Swp	1 1/2 & 7 1/2	65/110/20	395
	YR 67	10 1/2	3.05mm	Swp	1 1/2 & 7 1/2	65/110/20	395

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

ISA	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
	125/130	5 1/2 x 7 3/4	1.40mm	Swiss, Gold plated	3 1/2 & 12	50/90	341
	127/130	7 3/4 Round	1.40mm	Swiss, Gold plated	3 1/2 & 9 1/2	50/90	341
Disc.	130/103	10 1/2 Round	1.90mm	D, Swp, Swiss	2 & 8	70/120/18	315
Disc.	138/101	8 3/4 Round	1.60mm	Swp, Swiss	4 1/2 & 11	70/120/20	315
Disc.	138/103	8 3/4 Round	1.60mm	D, Swp, Swiss	4 1/2 & 11	70/120/20	315
	230/103	10 1/2 Round	1.90mm	D, Swp, Swiss	2 & 8	70/120/18	315
	238/103	8 3/4 Round	1.60mm	D, Swp, Swiss	4 1/2 & 11	70/120/20	315
258	257/130	5 1/2 x 6 3/4	2.50mm		5 1/2 & 12 1/2	55/100	321
Disc.	267/130	6 3/4 x 8	2.50mm		5 1/2 & 12 1/2	55/100	364
Disc.	307/101	10 1/2 Round	3.20mm	Swp	3 1/2 & 10 1/2	70/120/20	371
Disc.	307/103	10 1/2 Round	3.25mm	D, Swp	3 1/2 & 10 1/2	70/120/20	371
LIMITED	307/104	10 1/2 Round	3.60mm	DD, Swp	3 1/2 & 10 1/2	70/120/20	371
Disc.	317/101	11 1/2 Round	3.20mm	Swp	3 1/2 & 10 1/2	70/120/20	371
LIMITED	317/103	11 1/2 Round	3.20mm	D, Swp	3 1/2 & 10 1/2	70/120/20	371
Disc.	317/104	11 1/2 Round	3.60mm	DD, Swp	3 1/2 & 10 1/2	70/120/20	371
Disc.	369/101	6 3/4 x 8	2.75mm	Swp	1 1/2 & 5 1/2	70/120/20	377
Disc.	389/101	8 3/4 Round	2.50mm	Swp	4 & 11	70/120/20	397
LIMITED	389/103	8 3/4 Round	3.25mm	D, Swp	4 & 11	70/120/20	397
LIMITED	389/104	8 3/4 Round	3.60mm	DD, Swp	4 & 11	70/120/20	397
LIMITED	389/108	8 3/4 Round	3.60mm	D, Mn, Swp	4 & 11	70/120/20	397
	638/101	6 3/4 x 8	3.10mm	Swp	1 1/2 & 5 1/2	70/120/20	377
1198/12	1198/101	11 1/2 Round	3.25mm	Swp	2 1/2 & 8	90/150/20	395
1198/32	1198/103	11 1/2 Round	3.70mm	D, Swp	2 1/2 & 8	90/150/20	395
Disc.	1198/104	11 1/2 Round	4.00mm	DD, Swp	2 1/2 & 8	90/150/20	395
1198/52	1198/105	11 1/2 Round	4.00mm	Day@12, D, Swp	2 1/2 & 8	90/150/20	395
Disc.	1198/108	11 1/2 Round	4.00mm	D, Sn, Mn, Swp	2 1/2 & 8	90/150/20	395
Disc.	1198/42-4	11 1/2 Round	4.00mm	DD, Swp, Stem@4	2 1/2 & 8	90/150/20	395
Disc.	8161/201	11 1/2 Round	3.70mm	Chr, D@6, 2-eye	2 1/2 & 8 1/2	90/150/20/18	395
Disc.	8161/202	11 1/2 Round	3.70mm	Chr, D@4, 3-eye	2 1/2 & 8 1/2	90/150/20/18	395
Disc.	8161/204	11 1/2 Round	3.70mm	Chr, D@4, Mn, 2-eye	2 1/2 & 8 1/2	90/150/20/18	395
Disc.	8162/220	11 1/2 Round	4.20mm	Chr, D@4, 3-eye	2 1/2 & 8 1/2	90/150/20/18	399
NEW	8171/201	11 1/2 Round	3.70mm	Chr, D@6, 2-eye	2 1/2 & 8 1/2	90/150/20/18	395
NEW	8171/202	11 1/2 Round	3.70mm	Chr, D@4, 3-eye	2 1/2 & 8 1/2	90/150/20/18	395
NEW	8171/204	11 1/2 Round	3.70mm	Chr, D@4, Mn, 2-eye	2 1/2 & 8 1/2	90/150/20/18	395
NEW	8172/220	11 1/2 Round	4.20mm	Chr, D@4, 3-eye	2 1/2 & 8 1/2	90/150/20/18	399
Disc.	K63/101	6 3/4 x 8	2.95mm	Swp	5 1/2 & 12 1/2	70/120/20	377
	K63/302 SW	13 Round	3.20mm	Swp	6 1/2 & 12 1/2	70/120/20	376
K83	K83/103	8 3/4 Round	2.95mm	D, Swp	4 & 11 1/2	70/120/18	362
NEW	K83/103 @ 6	8 3/4 Round	2.95mm	D@6, Swp	4 & 11 1/2	70/120/18	362

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
------------	------------	-----------	-----------	-----------	-------	------

MIYOTA - CITIZEN

	1L02	6 3/4 x 8	2.94mm	DD, Swp	7 & 11 1/2	70/120/17	364
	1L12	6 3/4 x 8	2.71mm	D, Swp	7 & 11 1/2	70/120/17	364
	1L12 @ 6	6 3/4 x 8	2.71mm	D@6, Swp	7 & 11 1/2	70/120/17	364
	1L15	6 3/4 x 8	2.71mm	D	7 & 11 1/2	70/120	364
NEW	1L22	6 3/4 x 8	2.15mm		7 & 11 1/2	70/120	364
	1L26	6 3/4 x 8	2.15mm	High Can Pin	7 & 11 1/2	70/120	364
	1L32	6 3/4 x 8	2.28mm	Swp	7 & 11 1/2	70/120/17	364
	1L40	6 3/4 x 8	2.94mm	Remote Swp (Ldy)	7 & 11	70/120/17	364
	1L45	6 3/4 x 8	2.94mm	Remote Swp (Gnt)	7 & 11	70/120/17	364
	1L50	6 3/4 x 8	2.94mm	BIG Date, Swp	6 1/2 & 11 1/2	70/120/17	364
	1M02	10 1/2 Round	2.94mm	DD, Swp	5 & 11	70/120/17	364
	1M12	10 1/2 Round	2.71mm	D, Swp	5 & 11	70/120/17	364
	1M12 @ 6	10 1/2 Round	2.71mm	D@6, Swp	5 & 11	70/120/17	364
	1M15	6 3/4 x 8	2.71mm	D	5 & 11	70/120	364
	1M50	10 1/2 Round	2.71mm	BIG Date, Swp	5 & 11	70/120/17	364
	1N12	8 3/4 Round	2.58mm	D, Swp	2 & 8	70/120/17	321
	1S02	11 1/2 Round	3.07mm	DD, Swp	5 & 11	70/120/17	364
	1S13	11 1/2 Round	2.71mm	D, Swp	5 & 11	70/120/17	364
	2005	6 3/4 x 8	3.80mm	DD, Swp	7 & 11	70/120/17	377
	2015	6 3/4 x 8	3.80mm	D, Swp	7 & 11 1/2	70/120/17	377
	2015 @ 6	6 3/4 x 8	3.80mm	D@6, Swp	7 & 11 1/2	70/120/17	377
NEW	2025 / 2020	6 3/4 x 8	2.89mm		7 & 11 1/2	70/120	377
	2034	6 3/4 x 8	2.89mm	High Torque Swp	7 & 11 1/2	70/120/17	377
	2035 / 2030	6 3/4 x 8	2.89mm	Swp	7 & 11 1/2	70/120/17	377
	2036 HC	6 3/4 x 8	2.89mm	Swp, High Can Pin	7 & 11 1/2	70/120/17	377
	2039 HC	6 3/4 x 8	2.89mm	Swp, High Can Pin	7 & 11 1/2	70/120/17	377
	2105	10 1/2 x 8 1/2	3.80mm	DD, Swp	5 & 11	70/120/17	377
	2115	10 1/2 x 8 1/2	3.80mm	D, Swp	5 & 11	70/120/17	377
	2115 @ 6	10 1/2 x 8 1/2	3.80mm	D@6, Swp	5 & 11	70/120/17	377
NEW	2305	11 1/2 Round	4.15mm	DD, Swp	4 & 10	70/120/17	377
	2315	11 1/2 Round	4.15mm	D, Swp	4 & 10	70/120/17	377
	4S20	4 Round	2.95mm		5 1/2 & 11 1/2	70/120	335
Disc.	4T13	6 3/4 x 8	2.33mm	D, Swp	5 1/2 & 12 1/2	70/120/17	321
Disc.	4T23	6 3/4 x 8	1.90mm		5 1/2 & 12 1/2	70/120	321
Disc.	4T33	6 3/4 x 8	1.90mm	Swp	5 1/2 & 12 1/2	70/120/17	321
LIMITED	4T43	6 3/4 x 8	2.40mm	Remote Swp (Ldy)	5 1/2 & 12 1/2	70/120/17	321
Disc.	4T48	6 3/4 x 8	2.40mm	Remote Swp (Gnt)	5 1/2 & 12 1/2	70/120/17	321
Disc.	4T74	6 3/4 x 8	2.33mm	D	5 1/2 & 12 1/2	70/120	321
Disc.	4U13	10 1/2 Round	2.33mm	D, Swp	5 1/2 & 12 1/2	70/120/17	315
Disc.	4U74	10 1/2 Round	2.33mm	D	5 1/2 & 12 1/2	70/120	315

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
	5R21	3 3/4 x 6	1.90mm		4 & 11 1/2	70/120	337
	5R32	3 3/4 x 6	2.00mm	Swp	4 & 11 1/2	70/120/17	337
Disc.	5S00	10 1/2 Round	3.45mm	DD, Swp	5 & 11	70/120/17	371
	5Y20	5 1/2 x 6 3/4	2.54mm		6 1/2 & 11 1/2	70/120	379
NEW	5Y26 HC	5 1/2 x 6 3/4	2.54mm	High Can Pin	6 1/2 & 11 1/2	70/120	379
	5Y30	5 1/2 x 6 3/4	2.54mm	Swp	6 1/2 & 11 1/2	70/120/17	379
LIMITED	6L02	6 3/4 x 8	2.55mm	DD, Swp	7 & 11 1/2	70/120/17	364
LIMITED	6L12	6 3/4 x 8	3.10mm	D, Swp	7 & 11 1/2	70/120/17	364
LIMITED	6L12 @ 6	6 3/4 x 8	3.10mm	D@6, Swp	7 & 11 1/2	70/120/17	364
LIMITED	6L22	6 3/4 x 8	2.44mm		7 & 11 1/2	70/120	364
LIMITED	6L32	6 3/4 x 8	2.44mm	Swp	7 & 11 1/2	70/120/17	364
Disc.	6L40	6 3/4 x 8	3.20mm	Remote Swp (Gnt)	7 & 11	70/120/17	364
Disc.	6L45	6 3/4 x 8	3.20mm	Remote Swp (Ldy)	7 & 11	70/120/17	364
Disc.	6L71	10 1/2 Round	3.55mm	Chr, Alm, Swp	5 & 11	70/120/17	364
LIMITED	6L85	6 3/4 x 8	3.30mm	D, Mn, Swp	6 1/2 & 11 1/2	70/120/17	364
LIMITED	6L90	6 3/4 x 8	3.30mm	Sn, Mn, Swp	6 1/2 & 11 1/2	70/120/17	364
LIMITED	6L95	6 3/4 x 8	3.30mm	Sn, Mn, D, Swp	6 1/2 & 11 1/2	70/120/17	364
LIMITED	6M02	10 1/2 Round	3.30mm	DD, Swp	4 & 10 1/2	70/120/17	364
LIMITED	6M12	10 1/2 Round	3.30mm	D, Swp	1&7, 4 & 10 1/2	70/120/17	364
LIMITED	6M12 @ 6	10 1/2 Round	3.30mm	D@6, Swp	1&7, 4 & 10 1/2	70/120/17	364
Disc.	6M17	10 1/2 Round	3.30mm	24hr, Swp	1&7, 4 & 10 1/2	70/120/17	364
LIMITED	6M50	11 1/2 Round	3.50mm	Day@12, D, Swp	1&8, 5&11	70/120/17	364
LIMITED	6M53	11 1/2 Round	3.30mm	BIG Date, Swp	2 1/2 & 8 1/2	70/120/17	364
Disc.	6M55	13 1/2 Round	3.85mm	Day@12, D, Swp	2 1/2 & 8 1/2	70/120/17	364
LIMITED	6M85	10 1/2 Round	3.30mm	D, Mn, Swp	5&11, 1 1/2 & 6 1/2	70/120/17	364
LIMITED	6M90	10 1/2 Round	3.30mm	Sn, Mn, Swp	5&11, 1 1/2&6 1/2	70/120/17	364
LIMITED	6M95	10 1/2 Round	3.30mm	D, Sn, Mn, Swp	5&11, 1 1/2&6 1/2	70/120/17	364
	6N00	13 Round	4.30mm	EL, DD, Swp	1 1/2 & 9 1/2	70/120/17	364
	6N10	13 Round	4.30mm	EL, D, Swp	1 1/2 & 9 1/2	70/120/17	364
	6N30	13 Round	3.55mm	EL, Swp	1 1/2 & 9 1/2	70/120/17	364
	6P00	10 1/2 Round	3.45mm	DD, Mth, Mn, 3-eye	4 1/2 & 10 1/2	70/120/17	364
	6P05	10 1/2 Round	3.45mm	DD, Mth, 3-eye	5 & 11	70/120/17	364
	6P09	10 1/2 Round	3.45mm	DD, Mth, 24hr, 4-eye	5 & 11	70/120/17	364
	6P20	10 1/2 Round	3.45mm	DD, Mn, 2-eye	5 & 11	70/120/17	364
NEW	6P23	10 1/2 Round	3.45mm	DD, Mn, 2-eye	5 & 11	70/120/17	364
NEW	6P25	10 1/2 Round	3.45mm	DD, Mn, 2-eye	5 & 11	70/120/17	364
	6P27	10 1/2 Round	3.45mm	DD, 24hr, 3-eye	5 & 11	70/120/17	364
	6P29	10 1/2 Round	3.45mm	DD, 24hr, 3-eye	5 & 11	70/120/17	364
	6P50	10 1/2 Round	3.45mm	D, Mn, 2-eye	5 & 11	70/120/17	364
Disc.	6P55	10 1/2 Round	3.45mm	DD, Mth, 2-eye	4 1/2 & 10 1/2	70/120/17	364
	6P80	10 1/2 Round	3.85mm	D, Mth, Mn, 2-disc	5 & 11	70/120/17	364
	6P89	10 1/2 Round	3.85mm	DD, 24hr, 3-eye	5 & 11	70/120/17	364

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
LIMITED Disc.	6R29	13 Round	4.25mm	EL, Wk, D, 24hr, 3-eye	2 & 8	70/120/17	399
	6W60	11 1/2 Round	3.70mm	24hr, Min, Sec, 3-eye	1 1/2 & 6 1/2	70/120/17	399
NEW	9T13	6 3/4 x 8	2.33mm	D, Swp	7 & 11 1/2	70/120/18	321
	9T22	6 3/4 x 8	1.90mm		7 & 11 1/2	70/120	321
	9T33	6 3/4 x 8	1.90mm	Swp	7 & 11 1/2	70/120/18	321
	9U13	10 1/2 Round	2.33mm	D, Swp	5 & 11	70/120/18	373
	9U15	10 1/2 Round	2.33mm	D	5 & 11	70/120/18	373
NEW NEW NEW NEW NEW NEW	FS00	10 1/2 Round	4.13mm	Chr, D@4, 6-hand	6 1/2 & 11	70/120/17	377
	FS01	10 1/2 Round	4.28mm	Chr, D@4, 6-hand	6 1/2 & 11	70/120/17	377
	FS10	10 1/2 Round	5.10mm	Chr, D@4, 6-hand	6 1/2 & 11	70/120/17	377
	FS11	10 1/2 Round	5.25mm	Chr, D@4, 6-hand	6 1/2 & 11	70/120/17	377
	FS20	10 1/2 Round	5.10mm	Chr, D@4, hang 6H	6 1/2 & 11	70/120/17/25	377
	FS21	10 1/2 Round	5.25mm	Chr, D@4, hang 6H	6 1/2 & 11	70/120/17/25	377
	FS60	10 1/2 Round	5.10mm	Chr, D@4, hang 6H	6 1/2 & 11	70/120/17	377
NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW	GL00	7 1/4 x 8 1/4	2.94mm	DD, Swp	6 1/2 & 11 1/2	70/120/17	364
	GL10	7 1/4 x 8 1/4	2.71mm	D, Swp	6 1/2 & 11 1/2	70/120/17	364
	GL20	6 3/4 x 8	2.28mm		6 1/2 & 11 1/2	70/120	364
	GL30	6 3/4 x 8	2.28mm	Swp	6 1/2 & 11 1/2	70/120/17	364
	GM00	10 1/2 Round	2.94mm	DD, Swp	4 1/2 & 10 1/2	70/120/17	364
	GM10	10 1/2 Round	2.71mm	D, Swp	4 1/2 & 10 1/2	70/120/17	364
	GM10 @ 6	10 1/2 Round	2.71mm	D@6, Swp	4 1/2 & 10 1/2	70/120/17	364
	GN10	8 3/4 Round	2.71mm	D, Swp	4 1/2 & 10 1/2	70/120/17	364
	GP00	12 Round	4.40mm	BIG Date,DTZ,Swp	4 & 11	70/120/17	371
	GP10	12 Round	4.40mm	BIG Date, Sm Swp	4 & 11	70/120/17	371
NEW NEW NEW NEW NEW NEW Disc.	OS10	13 1/2 Round	4.13mm	D, Swp, 3-eye	2 1/2 & 9 1/2	70/120/17	399
	OS11	13 1/2 Round	4.13mm	D, Swp, 2-eye	2 1/2 & 9 1/2	70/120/17	399
	OS20	13 1/2 Round	5.10mm	D, Swp, 3-eye	2 1/2 & 9 1/2	70/120/17	395
	OS30	13 1/2 Round	4.13mm	Swp, 3-eye	2 1/2 & 9 1/2	70/120/17	399
	OS60	13 1/2 Round	4.13mm	D, Swp, 3-eye	2 1/2 & 9 1/2	70/120/17	399
	OS80	13 1/2 Round	4.68mm	Chr, D, Swp, 3-eye	2 1/2 & 9 1/2	70/120/17	399
	OU30	10	4.10mm	EL, Swp	N/A	70/120/17	364
	T200	28.4 x 27.8	3.16mm	Chr, Alm, Dig, Swp	3 1/2 & 11 1/2	70/120/17	399
	T205	28.4 x 27.8	3.16mm	Chr, Alm, Dig, Swp	3 1/2 & 11 1/2	70/120/17	399
	T240	30.8 x 27.4	4.91mm	Chr, Alm, Dig, Swp	3 1/2 & 11 1/2	70/120/17	399
	T250	30.8 x 27.4	4.91mm	Chr, Alm, Dig, Swp	3 & 9	70/120/17	399
	T485	27.7 x 23.0	3.50mm	Chr, Alm, Dig, Swp	3 1/2 & 11 1/2	70/120/17	399

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
------------	------------	-----------	-----------	-----------	-------	------

RONDA

Disc.	313	11 1/2 Round	3.00mm	Swp	2 & 8	70/120/20	371
Disc.	315	11 1/2 Round	3.00mm	D, Swp	2 & 8	70/120/20	371
LIMITED	373	11 1/2 Round	3.75mm	Swp	2 & 8	90/150/20	395
Disc.	375	11 1/2 Round	3.75mm	D, Swp	2 & 8	90/150/20	395
	503	10 1/2 Round	3.00mm	Swp	2 & 8	70/120/20	371
	505	10 1/2 Round	3.00mm	D, Swp	2 & 8	70/120/20	371
	505 @ 6	11 1/2 Round	3.00mm	D@6, Swp	2 & 8	70/120/20	371
NEW	505 HC	10 1/2 Round	3.00mm	D, Swp, High Can Pin	2 & 8	70/120/20	371
	507	10 1/2 Round	3.00mm	DD, Swp	2 & 8	70/120/20	371
	509	10 1/2 Round	3.00mm	BIG Date, Swp	2 & 8	70/120/20	371
	513	11 1/2 Round	3.00mm	Swp	2 & 8	70/120/20	371
	515	11 1/2 Round	3.00mm	D, Swp	2 & 8	70/120/20	371
	515 @ 6	11 1/2 Round	3.00mm	D@6, Swp	2 & 8	70/120/20	371
NEW	515 HC	11 1/2 Round	3.00mm	D, Swp	2 & 8	70/120/20	371
NEW	515.24H	11 1/2 Round	3.00mm	D, Swp, 24hr Hand	2 & 8	70/120/20	371
NEW	515.6 Sw	11 1/2 Round	3.00mm	Ht.#6, Luminox intchg	2 & 8	70/120/20	395
	517	11 1/2 Round	3.00mm	DD, Swp	2 & 8	70/120/20	371
	519	11 1/2 Round	3.00mm	BIG Date, Swp	2 & 8	70/120/20	371
	583	8 3/4 Round	3.00mm	Swp	5 & 11	70/120/20	362
	585	8 3/4 Round	3.00mm	D, Swp	5 & 11	70/120/20	362
	585 @ 6	8 3/4 Round	3.00mm	D@6, Swp	5 & 11	70/120/20	362
	702	10 1/2 Round	2.50mm		2 & 8	70/120	371
	703	10 1/2 Round	2.50mm	Swp	2 & 8	70/120/20	371
	705	10 1/2 Round	2.50mm	D, Swp	2 & 8	70/120/20	371
	705 @ 6	10 1/2 Round	2.50mm	D@6, Swp	2 & 8	70/120/20	371
NEW	705 Sw	10 1/2 Round	2.50mm	D, Swp, 5 jew Gold	2 & 8	70/120/20	371
	706.2	10 1/2 Round	3.00mm	Chr, Swp, (5-Hand)	2 & 8	70/120/20	371
	706.3	10 1/2 Round	3.00mm	Chr, Swp, (6-Hand)	2 & 8	70/120/20	371
NEW	706.B	10 1/2 Round	3.00mm	Chr, Swp, (5-Hand)	2 & 8	70/120/20	371
	708	10 1/2 Round	2.98mm	D, Mn, Swp	2 & 8	70/120/20	371
	713	11 1/2 Round	2.55mm	Swp	2 & 8	70/120/20	371
	715	11 1/2 Round	2.55mm	D, Swp	2 & 8	70/120/20	371
	715 @ 6	11 1/2 Round	2.55mm	D@6, Swp	2 & 8	70/120/20	371
NEW	715 HC	11 1/2 Round	2.55mm	D, Swp, High Can Pin	2 & 8	70/120/20	371
NEW	715 Sw	11 1/2 Round	2.55mm	D, Swp, 5 jew Gold	2 & 8	70/120/20	371
NEW	715.6 LI Sw	11 1/2 Round	4.60mm	Ht.#6, Luminox intchg	2 & 8	70/120/20	CR2016
Disc.	726	12 Round	4.95mm	Chr, Swp	2 & 8	70/120/20	371
Disc.	732 - 1032	3 3/4 x 6	1.95mm		2 3/4 & 8	40/80	317
Disc.	732 HC	3 3/4 x 6	1.95mm	High Cannon Pinnion	2 3/4 & 8	40/80	317

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
751	5 1/2 x 6 3/4	2.50mm		6 1/2 & 11 1/2	70/120	379
751 HC	5 1/2 x 6 3/4	2.50mm	High Cannon Pinnion	6 1/2 & 11 1/2	70/120	379
751 Sw	5 1/2 x 6 3/4	2.50mm	4 jew, Gold plated	6 1/2 & 11 1/2	70/120	379
751E	5 1/2 x 6 3/4	2.50mm	4 jew, Gold plated	6 1/2 & 11 1/2	55/100	379
751E HC	5 1/2 x 6 3/4	2.50mm	4 jew, High Can Pin	6 1/2 & 11 1/2	55/100	379
753	5 1/2 x 6 3/4	2.50mm	Swp	6 1/2 & 11 1/2	70/120	379
NEW 753 HC	5 1/2 x 6 3/4	2.50mm	Swp, High Can Pin	6 1/2 & 11 1/2	70/120	379
762	6 3/4 x 8	2.50mm		3 1/2 & 8 1/2	70/120	364
762 HC	6 3/4 x 8	2.50mm	High Cannon Pinnion	3 1/2 & 8 1/2	70/120	364
762 Sw	6 3/4 x 8	2.50mm	4 jew, Gold plated	3 1/2 & 8 1/2	70/120	364
763	6 3/4 x 8	2.50mm	Swp	3 1/2 & 8 1/2	70/120/20	364
763 HC	6 3/4 x 8	2.50mm	Swp, High Can Pin	3 1/2 & 8 1/2	70/120/20	364
763 Sw	6 3/4 x 8	2.50mm	Swp, 5 jew, Gold	3 1/2 & 8 1/2	70/120/20	364
772	7 3/4 Round	2.50mm		4 & 11 1/2	70/120	364
773	7 3/4 Round	2.50mm	Swp	4 & 11 1/2	70/120/20	364
775	7 3/4 Round	2.50mm	D, Swp	4 & 11 1/2	70/120/20	364
775 @ 6	7 3/4 Round	2.50mm	D@6, Swp	4 & 11 1/2	70/120/20	364
NEW 775 Sw	7 3/4 Round	2.50mm	D, Swp, 5 jew Gold	4 & 11 1/2	70/120/20	364
783	8 3/4 Round	2.50mm	Swp	4 & 11	70/120/20	362
785	8 3/4 Round	2.50mm	D, Swp	4 & 11	70/120/20	362
785 @ 6	8 3/4 Round	2.50mm	D@6, Swp	4 & 11	70/120/20	362
NEW 785 HC	8 3/4 Round	2.50mm	Swp, High Can Pin	4 & 11	70/120/20	364
NEW 785 Sw	8 3/4 Round	2.50mm	D, Swp, 5 jew	4 & 11	70/120/20	362
788 @ 6	8 3/4 Round	2.98mm	D@6, Mn, Swp	4 & 11	70/120/20	362
788 SW @ 6	8 3/4 Round	2.98mm	D@6, Mn, Swp, 5J	4 & 11	70/120/20	362
1005	10 1/2 Round	1.90mm	D, Swp, (Eta 255.411)	2 & 8	70/120/20	341
1006	10 1/2 Round	1.90mm	D, (Eta 255.441)	2 & 8	70/120	341
1009	10 1/2 Round	1.90mm	D, Rmt Swp (Gnt)	2 & 8	70/120/20	341
1015	11 1/2 Round	1.90mm	D, Swp, (Eta 255.111)	2 1/2 & 8 1/2	70/120/20	341
1016	11 1/2 Round	1.90mm	D, (Eta 255.111)	2 1/2 & 8 1/2	70/120	341
1019	11 1/2 Round	1.90mm	D, Rmt Swp (Gnt)	2 1/2 & 8 1/2	70/120/20	341
1032 - 732	3 3/4 x 6	1.95mm		2 3/4 & 8	40/80	317
1032 HC	3 3/4 x 6	1.95mm	High Cannon Pinnion	2 3/4 & 8	40/80	317
NEW 1032 Sw	3 3/4 x 6	1.95mm	Swiss, Gold plated	2 3/4 & 8	40/80	317
1042	4 1/4 Round	2.90mm	Swiss, (Eta E01.001)	1 & 7	40/80	335
1042 Sw	4 1/4 Round	2.90mm	Swiss, Gold plated	1 & 7	40/80	335
1062	6 3/4 x 8	1.90mm		5 1/2 & 11 1/2	70/120/20	321
1063	6 3/4 x 8	1.90mm	Swp	5 1/2 & 11 1/2	70/120/20	321
1064	6 3/4 x 8	1.90mm	Remote Swp (Ldy)	5 1/2 & 11 1/2	70/120/20	321
1069	6 3/4 x 8	1.90mm	Remote Swp (Gnt)	5 1/2 & 11 1/2	70/120/20	321
NEW 4003.B Sw	12 1/2 Round	4.40mm	BIG D@12, Swp	6 1/2 & 11 1/2	90/150/25	395
NEW 4120.B	12 1/2 Round	4.40mm	Chr, BIG D@6, 2-eye	6 1/2 & 11 1/2	90/150/25	395
NEW 4210.B	12 1/2 Round	4.40mm	Chr, BIG D@12, 1-eye	6 1/2 & 11 1/2	90/150/25	395

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

	Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
NEW	4220.B Sw	12 1/2 Round	4.40mm	Chr, BIG D@6, 2-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5010.B Sw	12 1/2 Round	4.40mm	Chr, BIG D@12, 1-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5020.B SW	12 1/2 Round	4.40mm	Chr, BIG D@6, 2-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5021.B	12 1/2 Round	4.40mm	Chr, BIG D@6, 2-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5030.D	12 1/2 Round	4.40mm	Chr, D@4, 3-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5030.D Sw	12 1/2 Round	4.40mm	Chr, D@4, 3-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5040.B Sw	12 1/2 Round	4.40mm	Chr, BIG D@12, 3-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5040.D	12 1/2 Round	4.40mm	Chr, D@4, 3-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	5050.B	12 1/2 Round	4.40mm	Chr, BIG D@6, 3-eye	6 1/2 & 11 1/2	90/150/25	395
NEW	6003.B	11 1/2 Round	3.30mm	BIG D, Swp	1 1/2 & 7 1/2	70/120/20	373
NEW	6004.B	11 1/2 Round	3.30mm	BIG D@12, 1-eye	1 1/2 & 7 1/2	70/120/20	373
NEW	6203.B Sw	11 1/2 Round	3.30mm	BIG D@12, 1-eye	1 1/2 & 7 1/2	70/120/19	373
NEW	7003.L Sw	15 Round	5.60mm	BIG D@12, Retro@6	12 1/2 & 6 1/2	90/150/25	381
NEW	7003.N Sw	15 Round	5.60mm	BIG D@6, Retro@12	12 1/2 & 6 1/2	90/150/25	381
NEW	7004.B Sw	15 Round	5.60mm	BIG D@12, Sm Sec	12 1/2 & 6 1/2	90/150/25	381
NEW	7004.N Sw	15 Round	5.60mm	BIG D@6, Retro@12	12 1/2 & 6 1/2	90/150/25	381
NEW	7004.P Sw	15 Round	5.60mm	BIG D@1, Retro@10	12 1/2 & 6 1/2	90/150/25	381

SE - Ebauche

	308/31	8 3/4 Round	3.40mm	D, Swp	4 & 11	70/120/20	377
	310/11	10 1/2 Round	3.40mm	Swp	2 & 8	70/120/20	397
	310/31	10 1/2 Round	3.40mm	D, Swp	2 & 8	70/120/20	397
	311/31	11 1/2 Round	3.40mm	D, Swp	2 & 8	70/120/20	397
	682/11	6 3/4 x 8	2.75mm	Swp	3 1/2 & 8 1/2	60/110/20	362

SEIKO

	1E20	3 1/4 Round	2.70mm		7 & 11 1/2	45/90	335
	1F20	4 3/4 x 5 1/2	2.09mm		2 & 7	45/90	337
LIMITED	1N00	4 3/4 x 6 1/2	2.19mm		6 1/2 & 11 1/2	45/90	317
LIMITED	1N01	4 3/4 x 6 1/2	2.19mm	Sweep	6 1/2 & 11 1/2	65/110/18	317
Disc.	4N00	4 3/4 x 6 1/2	2.19mm		6 1/2 & 11 1/2	45/90	317
Disc.	4N01	4 3/4 x 6 1/2	2.19mm	Sweep	6 1/2 & 11 1/2	65/110/18	317
	7N00 - V 700	6 3/4 x 8	2.10mm		6 1/2 & 12 1/2	65/110	321
	7N01 - V 701	6 3/4 x 8	2.10mm	Swp	6 1/2 & 12 1/2	65/110/20	364
	7N32 - V 732	10 1/2	2.90mm	D, Swp	1 & 7	65/110/20	371
	7N33 - V 733	10 1/2	2.90mm	DD, Swp	1 & 7	65/110/20	371
	7N42 - V 742	11 1/2	2.90mm	D, Swp	1 & 7	65/110/20	371
	7N43 - V 743	11 1/2	2.90mm	DD, Swp	2 & 8	65/110/20	371
	7N82 - V 782	7 3/4	2.90mm	DD, Swp	5 1/2 & 12	45/90/20	364
	7N83 - V 783	7 3/4	2.90mm	DD, Swp	5 1/2 & 12	65/110/20	364
	7N89 - V 789	7 3/4	2.60mm	D	5 1/2 & 12	45/90	364
Disc.	7T32 - YM 52	12	3.70mm	Chr, D, 3-eye	1 1/2 & 7 1/2	65/110/20	395
Disc.	7T34	12	3.70mm	Chr, 3-eye	1 1/2 & 7 1/2	65/110/20	395
	7T62	12	3.70mm	Chr, D, 3-eye	1 1/2 & 7 1/2	65/110/20	395

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
------------	------------	-----------	-----------	-----------	-------	------

TIMEX

Disc.	M602	10 1/2 Round	3.23mm	D, Swp	2 & 8	70/120/20	395
LIMITED	M603	10 1/2 Round	3.76mm	DD, Swp	2 & 8	70/120/20	395
Disc.	M653	5 1/2 x 6 3/4	3.18mm	Swp	5 & 11	70/120/20	377
	M902	10 1/2 Round	3.65mm	D, Swp	4 1/2 & 10	70/120/20	CR2016
	M902 @ 6	10 1/2 Round	3.65mm	D@6, Swp	4 1/2 & 10	70/120/20	CR2016
	M903	10 1/2 Round	4.15mm	DD, Swp	4 1/2 & 10	70/120/20	CR2016
	M904	13 1/2 Round	3.65mm	EL, Swp	5 & 11	70/120/20	CR2016
	M905	13 1/2 Round	3.65mm	EL, D, Swp	5 & 11	70/120/20	CR2016
LIMITED	M921	11 1/2 Round	6.00mm	EL, D@4, Min, Sec, 3-e	5 & 11	70/120/20	CR2016
LIMITED	M927	11 1/2 Round	6.00mm	D@4, Min, Sec, 3-eye	5 & 11	70/120/20	CR2016
	M953	5 1/2 x 6 3/4	3.65mm	Swp	4 1/2 & 10	70/120/20	CR1216
	M954	8 3/4 Round	3.07mm	EL, D, Swp	2 & 8	70/120/20	CR1216
	M955	8 3/4 Round	3.07mm	EL, Swp	2 & 8	70/120/20	CR1216
	M956	8 3/4 Round	3.07mm	EL, D, Swp	2 & 8	70/120/20	CR1216

MECHANICAL / AUTOMATIC

NEW	CHI 2650W	11 1/2 Round	5.30mm	DD, Swp, 17 Jew	4 1/2 & 10 1/2	100/150/17	Auto
AUTO	DG2803	11 1/2 Round	5.30mm	DD, Swp, 17 Jew	4 1/2 & 10 1/2	100/150/17	Auto
AUTO	DG2812	13 Round	5.45mm	Day@12, D, Swp, 22J	2 & 8	100/150/17	Auto
AUTO	DG2813	11 1/2 Round	5.45mm	D, Swp, 17 Jew	5 1/2 & 11	100/150/17	Auto
LIMITED	ST6D	11 1/2 Round	6.00mm	D, Swp, 17 Jew, (Gnt)	5 1/2 & 11	85/135/20	Auto
LIMITED	ST6D-L	8 3/4 Round	5.80mm	D, Swp, 17 Jew, (Ldy)	4 & 9 1/2	85/135/20	Auto
LIMITED	Eta 2000-1	8 3/4 Round	3.60mm	D, Swp, 20 Jew	1 1/2 & 8 1/2	70/120/20	Auto
LIMITED	Eta 2671	7 3/4 Round	4.80mm	D, Swp, 25 Jew	2 1/2 & 8 1/2	70/120/20	Auto
LIMITED	Eta 2824-2	11 1/2 Round	4.65mm	D, Swp, 25 Jew	4 & 11	90/150/20	Auto
LIMITED	Eta 2834-2	13 Round	5.05mm	Day@12, D, Swp, 25J	4 & 10	90/150/25	Auto
LIMITED	Eta 2836-2	11 1/2 Round	5.05mm	DD, Swp, 25 Jew	4 & 10	90/150/25	Auto
LIMITED	Eta 2892-A2	11 1/2 Round	3.60mm	D, Swp, 21 Jew	2 1/2 & 8 1/2	90/150/25	Auto
LIMITED	Eta 7750	13 1/4 Round	7.90mm	DD, Swp, 25 Jew	1 & 7	120/200/25/18	Auto
AUTO	Hat YT 57	12	4.89mm	D, Swp, Auto (AGS)	3 1/2 & 10	65/110/20	Auto
AUTO	Hat YT 58	12	4.89mm	DD, Swp, Auto (AGS)	3 1/2 & 10	65/110/20	Auto
AUTO	Miy 8205	11 1/2 Round	5.67mm	DD, Swp, 21 Jew	5 1/2 & 10 1/2	100/165/17	Auto
AUTO	Miy 8215	11 1/2 Round	5.67mm	D, Swp, 21 Jew	5 1/2 & 10 1/2	100/165/17	Auto
NEW	Miy 8N24	11 1/2 Round	4.80mm	Swp, 21 Jew, Skeleton	5 1/2 & 10 1/2	100/150/17	Auto
LIMITED	Seiko 5M42	12 Round	4.30mm	D, Swp, Auto (AGS)	3 1/2 & 7, 5&11	65/110/20	Auto
LIMITED	Seiko 5M43	12 Round	4.30mm	DD, Swp, Auto (AGS)	3 1/2 & 7, 5&11	65/110/20	Auto
LIMITED	Seiko 5M62	12 Round	4.20mm	D, Swp, Auto (AGS)	5 & 11	65/110/20	Auto

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement # Ligne Size Thickness Functions Dial Feet Hands Cell

CAPACITORS

	Battery #	Cross Reference	
	621	8510, 8627	
	MT920	0850, 0855, 0870, 0875, 0W50	
	MT1620	9410, 9415, 9417, 9455	
	MT621	8511, 8512, 8515, 8625, 8626, 8628	
	MT920	C601, C605, C615	
	MT616	A310, A315	
	MT1620	A160, A270, C690	
	MT621	B110, E000, E010, E030, E100, E110, E111, G430, G431, G432	
	MT621	A114, A119, A134, A139, A234	
	MT920	7871, 7876, 7878, B510, B515, B872, B873, B876, C651, C660, E712, E715, E760, E761, E810, E870	
	MT616	B232, B236, B237, BP10	
Disc.	MT516	B023, B080	USE CT295.76
	MT621	B230, B234	
	MT616	G820	
	MT416	G620, G670	
	CTL920	G900, E210	
	MT516	B023, B080	
	MT920	7M22, 7M42, 7M45, V12x series	
	MT920	5J21, 5J22	
	MT920	V14x series	
	TC920S	5M62, 5M63, 5M65	
	TC920S	5M22, 5M23, 5M42, 5M43, 3029.113	
	MT616	V18x series	
	MT616	3M21, 3M22	
	MT616	4M21	

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
------------	------------	-----------	-----------	-----------	-------	------

CIRCUITS

	251.262	13 1/4 Round	Circuit Board & Coil ONLY			
	251.272	13 1/4 Round	Circuit Board & Coil ONLY			
	255.441	10 1/2 Round	Circuit Board & Coil ONLY			
	256.111	8 1/4 Round	Circuit Board & Coil ONLY			
	280.002	8 1/4 Round	Circuit Board & Coil ONLY			
NEW	282.001	5 1/2 x 8	Circuit Board & Coil ONLY			
Disc.	562.001	5 1/2 x 6 3/4	Circuit Board & Coil ONLY			
	562.101	5 1/2 x 6 3/4	Circuit Board & Coil ONLY			
	901.001	5 1/2 x 6 3/4	Circuit Board & Coil ONLY			
	955.112/412	10 1/2 Round	Circuit Board & Coil ONLY			
NEW	956.112	10 1/2 Round	Circuit Board & Coil ONLY			
	956.412	8 3/4 Round	Circuit Board & Coil ONLY			
Disc.	959.001	9 Round	Circuit Board & Coil ONLY			
	976.001	5 1/2 x 6 3/4	Circuit Board & Coil ONLY			

DATE WHEELS

	Fe 10031	10 1/2 Round	6 o'clock Date
	Eta 251.262	13 1/2 Round	6 o'clock Date
	Eta 256.111	8 1/4 Round	6 o'clock Date
	Eta 955.112/4	11 1/2 Round	6 o'clock Date
	Eta 955.132	11 1/2 Round	3 o'clock Date
	Eta 955.412/4	10 1/2 Round	3 o'clock Date
	Eta 956.112/4	7 3/4 Round	3 o'clock Date
	Eta 956.112/4	7 3/4 Round	6 o'clock Date
	Eta 956.412/4	8 3/4 Round	3 o'clock Date
	Eta 956.412/4	8 3/4 Round	6 o'clock Date
	Eta F03.111/A	7 3/4 Round	3 o'clock Date
	Eta F04.111/A	8 3/4 Round	6 o'clock Date
	Eta F06.111/A	11 1/2 Round	6 o'clock Date

HANDS

	40 / 80	STICK Hands	YEL or WHT
	45 / 90	STICK Hands	YEL or WHT
	55 / 100	STICK Hands	YEL or WHT
	60 / 110	STICK Hands	YEL or WHT
	65 / 110	STICK Hands	YEL or WHT
	70 / 120	STICK Hands	YEL or WHT
	90 / 150	STICK Hands	YEL or WHT
	.17 Sweep	STICK Hands	YEL or WHT
	.18 Sweep	STICK Hands	YEL or WHT
	.20 Sweep	STICK Hands	YEL or WHT
	.25 Sweep	STICK Hands	YEL or WHT

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
------------	------------	-----------	-----------	-----------	-------	------

STEMS - ETA

401 1519	Eta F05.111/A, F06.111/A	TAP 10	10 Stems per Pack
401 1520	Eta F03.111/A, F04.111/A	TAP 10	10 Stems per Pack

STEMS - Hattori

0351 112	Y 480, Y 481, Y 482	TAP 10	10 Stems per Pack
0351 173	VC 00, VC 01, VC 10, VC 11	TAP 10	
0351 177	VD 53B/57B/58B/59A, VS 32A/3JA/82A, VX 12E/32E/33E/3KE, VX 42E/44E/82E/83E/89E	TAP 10	10 Stems per Pack
0351 178	VD 54A, VD 55A, VD 56A, VD 54B, VD 55B, VD 56B, VX 07E/08E, VX 50E, VX 51E	TAP 10	10 Stems per Pack
0351 228	VB 20B, V 220B		10 Stems per Pack
0351 332	VJ 22, VJ 23, VJ 24, VJ 32, VJ 33, VJ 34	TAP 10	10 Stems per Pack
0351 333	VJ 20, VJ 21	TAP 10	10 Stems per Pack
0351 704	VP 31, VP 32, VP 33, VP 44		10 Stems per Pack
0351 807	VX 00, VX 01 YL 60A, YL 61A, 1F20, 1N00	TAP 13	10 Stems per Pack
0351 819	VX 10A, VX 11A	TAP 10	10 Stems per Pack
0351 892	VD 53B/57B/58B/59A, VS 32A/3JA/82A, VX 12E/32E/33E/3KE, VX 42E/44E/82E/83E/89E	TAP 11	10 Stems per Pack
0354 122	PC 20A, PC 21A, PC 20S, PC 21S	TAP 10	10 Stems per Pack
0354 130	PC 10A, PC 11A	TAP 10	10 Stems per Pack
0354 300	PC 22A, PC 23A, PC 32A, PC 33A	TAP 10	10 Stems per Pack

(TOP 50 Movements are Shaded Across)

Prices subject to change due to foreign currency fluctuations.

Movement #	Ligne Size	Thickness	Functions	Dial Feet	Hands	Cell
------------	------------	-----------	-----------	-----------	-------	------

STEMS - Hattori (cont)

0354 531	VX 18A/36A/38A/39A, VX 3FA/3GA/3HA/3JA		TAP 10	10 Stems per Pack		
0354 533	VX 50A, VX 51A			10 Stems per Pack		
0354 788	AL 20E, AL 21E, AL 35E, Y 120E, Y 121E, Y 121G, YR 67A		TAP 10	10 Stems per Pack		

STEMS - Miyota

065 379	Miyota 6Lxx & 6Mxx Series		TAP 10	10 Stems per Pack		
065 397	Miyota 4Txx & 4Uxx Series			10 Stems per Pack		
065 413	Miyota 5R21		TAP 12	10 Stems per Pack		
065 495	Miyota 9Txx & 9Uxx Series			10 Stems per Pack		
065 505	Miyota 1Lxx & 1Mxx Series Miyota 1Sxx series		TAP 10	10 Stems per Pack		
065 541	Miyota GL20, GL30		TAP 10	10 Stems per Pack		
065 543	Miyota GM00, GM10		TAP 10	10 Stems per Pack		
065 547	Miyota GL00, GL10		TAP 10	10 Stems per Pack		

STEMS - Ronda

3000 131	Ronda 702, 703, 705, 708, 772, 773, 774, 775, 778, 782, 783, 784, 785, 788		TAP 10	10 Stems per Pack		
3000 132	Ronda 751, 753, 762, 763		TAP 10	10 Stems per Pack		
3000 142	Ronda 1032, 732		TAP 10	10 Stems per Pack		
3000 155	Ronda 312, 313, 315, 712, 713, 715		TAP 10	10 Stems per Pack		
3000 160	Ronda 1062, 1063, 1064, 1069		TAP 10	10 Stems per Pack		
3000 164	Ronda 502, 503, 505, 507, 509 512, 513, 515, 517, 519		TAP 10	10 Stems per Pack		