










MECHANICAL MOVEMENTS

CALIBER / MANUFACTURER	07SW 300 DUBOIS-DÉPRAZ 312	08DUBOIS-DÉPRAZ 2040	011VALJOUX 7750 / SW500	30ETA 2892-2 DUBOIS-DÉPRAZ 285
MOVEMENT				
FUNCTIONS	Display of hours, minutes, seconds and date. 24 time zone display	Display of hours, minutes, seconds, date and chronograph	Display of hours, minutes, seconds and date, chronograph, day and date	Display of hours, minutes, seconds, chronograph and date
Frequency	28'800 A/h	28'800 A/h	28'800 A/h	28'800 A/h
Power reserve	40-44 h	38h	46 h / 48 h	42 h
Diameter	25.60 mm (11 1/2'')	25.60 mm (11 1/2'')	30.00 mm (13 1/4'')	30.00 mm (13 1/4'')
Movement height	4.85 mm	7.50 mm	7.90 mm	6.50 mm
Number of jewels	25 jewels	50 jewels	25 jewels	41 jewels
Shock resistance	Incabloc	Novodiac or Etachocs	Incabloc	Incabloc
Max. variation all positions	22 s/d	30s/ds	20 s/d	22 s/d


CALIBER / MANUFACTURER	77ETA 2892-A2 DUBOIS-DÉPRAZ 14070	80ETA 2824 / SW 200
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and date, regulator	Display of hours, minutes, seconds and date
Frequency	28'800 A/h	28'800 A/h
Power reserve	42 h	38 h
Diameter	30.00 mm (13 1/4'')	25.60 mm (11 1/2'')
Movement height	5.20 mm	4.60 mm
Number of jewels	25 jewels	25 jewels / 26 jewels
Shock resistance	Incabloc	Novodiac or Etachocs
Max. variation all positions	22 s/d	30 s/d

MECHANICAL MOVEMENTS

CALIBER / MANUFACTURER	802	SW 200	805	SW 280-1	806	SW 200 COSC CERTIFIED	82	ETA 2004-1
MOVEMENT								
								
FUNCTIONS	Display of hours, minutes, seconds and date		Display of hours, minutes, seconds, date and moon phase		Display of hours, minutes, seconds and date		Display of hours, minutes, seconds and date	
Frequency	28'800 A/h		28'800 A/h		28'800 A/h		28'800 A/h	
Power reserve	38 h		38 h		38 h		40 h	
Diameter	25.60 mm (1 1/2")		25.60 mm (1 1/2")		25.60 mm (1 1/2")		23.30 mm (10 1/2")	
Movement height	3.60 mm		5.40 mm		3.60 mm		3.60 mm	
Number of jewels	26 jewels		26 jewels		26 jewels		20 jewels	
Shock resistance	Incabloc		Novodiac		Incabloc		Incabloc	
Max. variation all positions	30 s/d		30 s/d		-4/+6 s/d		30 s/d	

CALIBER / MANUFACTURER	83	ETA 2834 / SW 240	85	ETA 2824 / SW 200	853	SW200 (SEMI- SKELETONISED)	87	ETA 2892-A2 DUBOIS DÉPRAZ DK 87
MOVEMENT								
								
FUNCTIONS	Display of hours, minutes, seconds, day and date		Display of hours, minutes and seconds		Display of hours, minutes and seconds		5 minute repeater Indication of time by the tone of 2 striking hammers	
Frequency	28'800 A/h		28'800 A/h		28'800 A/h		28'800 A/h	
Power reserve	42 h		38 h		42 h		42 h	
Diameter	29.00 mm (1 1/4")		25.60 mm (1 1/2")		25.60 mm (1 1/2")		36.00 mm (1 3/4")	
Movement height	5.05 mm		4.60 mm		4.60 mm		7.35 mm	
Number of jewels	26 jewels		25 jewels		26 jewels		21 jewels	
Shock resistance	Incabloc or Etachocs		Novodiac		Novodiac		Incabloc	
Max. variation all positions	30 s/d		30 s/d		30 s/d		22 s/d	


MECHANICAL MOVEMENTS


CALIBER / MANUFACTURER	88	SW 220-1	91	ETA 2824-2 / SW200 DUBOIS DÉPRAZ 291
MOVEMENT				
				
FUNCTIONS	Display of hours, minutes, seconds, day and date	Display of hours, minutes, seconds, date and chronograph		
Frequency	28'800 A/h	28'800 A/h		
Power reserve	38 h	38 h		
Diameter	25.6mm (11 1/2''')	30.00 mm (13 1/4''')		
Movement height	5.05 mm	7.50 mm		
Number of jewels	26 jewels	46 jewels		
Shock resistance	Incabloc	Incabloc		
Max. variation all positions	30 s/d	30 s/d		

CALIBER / MANUFACTURER	94	ETA 2892-A2 SOPROD 9090	95	ETA 2894 S2L
MOVEMENT				
				
FUNCTIONS	Display of hours, minutes, seconds, power reserve and big date		Display of hours, minutes, seconds and chronograph	
Frequency	28'800 A/h		28'800 A/h	
Power reserve	42 h		42 h	
Diameter	25.60 mm (11 1/2''')		28.00 mm (12 1/2''')	
Movement height	5.10 mm		6.10 mm	
Number of jewels	28 jewels		37 jewels	
Shock resistance	Incabloc		Incabloc	
Max. variation all positions	20 s/d		30 s/d	


QUARTZ MOVEMENTS

CALIBER / MANUFACTURER	0165	ETA 610.962
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds, chronograph, moon phase	
Diameter	31.75 mm (1 3/4"')	
Movement height	5.12 mm	
Battery	N° 394	

095	ISA 8371.B
	
Display of hours, minutes, seconds, date, chronograph	
30.60 mm (1 3/4"')	
5.50 mm	
N° 394	


CALIBER / MANUFACTURER	10	RONDA 5040.B
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and big date, chronograph, split time	
Diameter	28.00 mm (1 1/2"')	
Movement height	4.40 mm	
Battery	N° 395	


101	RONDA 5021.D
	
Display of hours, minutes, seconds, date and chronograph	
28.00 mm (1 1/2"')	
4.40 mm	
N° 395	

102	RONDA 5030.D
	
Display of hours, minutes, seconds, date and chronograph	
28.00 mm (1 1/2"')	
4.40 mm	
N° 395	

103	RONDA 5021.D
	
Display of hours, minutes, seconds, date and chronograph	
28.00 mm (1 1/2"')	
4.40 mm	
N° 395	


CALIBER / MANUFACTURER	104	RONDA 5040.D
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds, date, chronograph	
Diameter	28.00 mm (1 1/2"')	
Movement height	4.40 mm	
Battery	N° 395	

105	RONDA 5040.F
	
Display of hours, minutes, seconds, day, date, month, chronograph	
28.00 mm (1 1/2"')	
5.40 mm	
N° 395	

13N	ETA 251.272
	
Display of hours, minutes, seconds, date and chronograph	
30.00 mm (1 3/2"')	
5.00 mm	
N° 394	


34	RONDA 7004
	
Display of hours, minutes, small second, date retrograde	
33.80 mm (1 5/8"')	
5.60 mm	
N° 381	


QUARTZ MOVEMENTS

CALIBER / MANUFACTURER	345	RONDA 7004P
MOVEMENT		
FUNCTIONS	Display of hours, minutes, small second, big date, day retrograde	
Diameter	33.80 mm (15''')	
Movement height	5.60 mm	
Battery	N° 381	

CALIBER / MANUFACTURER	38	RONDA 8040.N
MOVEMENT		
FUNCTIONS	Display of hours, minutes, small seconds, day date, chronograph	
Diameter	33.80 mm (15''')	
Movement height	5.60 mm	
Battery	N° 395	

CALIBER / MANUFACTURER	38s	RONDA 8020.N
MOVEMENT		
FUNCTIONS	Display of hours, minutes, day date, chronograph	
Diameter	33.80 mm (15''')	
Movement height	5.60 mm	
Battery	N° 395	

CALIBER / MANUFACTURER	40	RONDA 706.1
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds, date and moon phase	
Diameter	23.30 mm (10 1/2''')	
Movement height	3.00 mm	
Battery	N° 371	

CALIBER / MANUFACTURER	401	RONDA 706.B
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds, day date and moon phase	
Diameter	23.30 mm (10 1/2''')	
Movement height	3.70 mm	
Battery	N° 371	

CALIBER / MANUFACTURER	53	RONDA 515
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and date	
Diameter	25.60 mm (11 1/2''')	
Movement height	3.00 mm	
Battery	N° 371	

CALIBER / MANUFACTURER	54	RONDA 585
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds and date	
Diameter	19.40 mm (8 3/4''')	
Movement height	3.00 mm	
Battery	N° 362	

CALIBER / MANUFACTURER	56	RONDA 714
MOVEMENT		
FUNCTIONS	Display of hours, minutes and date	
Diameter	25.60 mm (11 1/2''')	
Movement height	2.50 mm	
Battery	N° 371	

CALIBER / MANUFACTURER	57	RONDA 784
MOVEMENT		
FUNCTIONS	Display of hours, minutes and date	
Diameter	19.40 mm (8 3/4''')	
Movement height	2.50 mm	
Battery	N° 362	

CALIBER / MANUFACTURER	64	RONDA 6004B
MOVEMENT		
FUNCTIONS	Display of hours, minutes, small seconds and big date	
Diameter	25.60 mm (11 1/2''')	
Movement height	3.30 mm	
Battery	N° 373	

CALIBER / MANUFACTURER	84	RONDA 517
MOVEMENT		
FUNCTIONS	Display of hours, minutes, seconds, day and date	
Diameter	25.60 mm (11 1/2''')	
Movement height	3.00 mm	
Battery	N° 371	