

MIYOTA

YOUR ENGINE

2010-2011



MADE IN JAPAN METAL MOVEMENT



MERCURY FREE

BASIC

2 Hands



3 Hands



3 Hands Date



3 Hands Day / Date




3 Hands / Date
Enlarged Calendar



3 Hands /
Date Wide Weekday



6 3/4 x 8'''



Super 2035 GILT


height 3.15mm
4 years battery life (SR626SW)

Features of Super 2035

- 4 Years Battery Life
- Fine Gold Colour
- High accuracy of ± 15 sec./month
- Covered Coil

High Hand Pg. 12

High Hand Pg. 12



2025

height 3.15mm
3 years battery life (SR626SW)



2035

height 3.15mm
3 years battery life (SR626SW)



2015

height 4.15mm
3 years battery life (SR626SW)



2005

height 4.15mm
3 years battery life (SR626SW)

10 1/2'''

High Hand Pg. 12



2115

height 4.15mm
3 years battery life (SR626SW)



2105

height 4.15mm
3 years battery life (SR626SW)

11 1/2'''



2315

height 4.15mm
3 years battery life (SR626SW)



2305

height 4.15mm
3 years battery life (SR626SW)



2353

height 4.15mm
3 years battery life (SR626SW)



2350

height 4.15mm
3 years battery life (SR626SW)

13 1/2'''



2415

height 4.35mm
3 years battery life (SR626SW)



2405

height 4.35mm
3 years battery life (SR626SW)



2453

height 4.35mm
3 years battery life (SR626SW)



6M55

height 3.85mm
large day/date disc
3 years battery life (SR621SW)

MIYOTA

1

SLIM

G SERIES

2 Hands



3 Hands



2 Hands Date




3 Hands Date



3 Hands Day / Date



6¾x8'''




GL20 GILT

height 2.28mm
3 years battery life (SR621SW)




GL30 GILT

height 2.28mm
3 years battery life (SR621SW)



GL15 GILT

height 2.71mm
3 years battery life (SR621SW)



GL10 GILT

height 2.71mm
3 years battery life (SR621SW)



GL00 GILT

height 2.94mm
3 years battery life (SR621SW)

8¾'''



GN15 GILT

height 2.71mm
3 years battery life (SR621SW)



GN10 GILT

height 2.71mm
3 years battery life (SR621SW)

Features of Series G Slim

- Assembled Hour Wheel
- Non Breakable Date Construction (GL10/GL15/GM10/GM15/GN10/GN15)
- Dust Proof
- Covered Coil
- Super Quick Date Adjusting
- Easy Assembling on Flat Desk

10½'''



GM15 GILT

height 2.71mm
3 years battery life (SR621SW)



GM10 GILT

height 2.71mm
3 years battery life (SR621SW)



GM00 GILT

height 2.94mm
3 years battery life (SR621SW)

1L/1S SERIES

3 Hands Date



3 Hands Day / Date



2 Hands / Small Second



11½'''



1S13 GILT


height 2.71mm
3 years battery life (SR621SW)



1S02 GILT

height 3.07mm
3 years battery life (SR621SW)

6¾x8'''



1L40 GILT

height 2.93mm
small second for LADIES'
3 years battery life (SR621SW)



1L45 GILT

height 2.93mm
small second for GENTS'
3 years battery life (SR621SW)

Size	6¾x8'''	6¾x8'''	6¾x8'''	6¾x8'''	6¾x8'''	8¾'''	8¾'''	10½'''	10½'''	10½'''
Cal.	GL20	GL30	GL15	GL10	GL00	GN15	GN10	GM15	GM10	GM00
Cal.	(1L22)	1L32	1L15	1L12	1L02	—	(1N12)	1M15	1M12	1M02
Height	2.28mm (2.15mm)	2.28mm	2.71mm	2.71mm	2.94mm	2.71mm	2.71mm (2.58mm)	2.71mm	2.71mm	2.94mm
Hands	2 hands	3 hands	2 hands	3 hands	3 hands	2 hands	3 hands	2 hands	3 hands	3 hands
Battery Life	3 years (5 years)	3 years	3 years	3 years	3 years	3 years	3 years (2 years)	3 years	3 years	3 years
Battery	SR621SW (SR616SW)	SR621SW	SR621SW	SR621SW	SR621SW	SR621SW	SR621SW (SR616SW)	SR621SW	SR621SW	SR621SW

MIYOTA

SUPER SLIM

2 Hands



3 Hands




2 Hands Date



3 Hands Date




6 3/4 x 8'''



9T22 GILT

height 1.90mm
2 years battery life (SR616SW)



9T33 GILT

height 1.90mm
2 years battery life (SR616SW)
battery detector function



9T15 GILT


height 2.33mm
2 years battery life (SR616SW)



9T13 GILT


height 2.33mm
2 years battery life (SR616SW)
battery detector function

10 1/2'''



9U15 GILT

height 2.33mm
4 years battery life (SR916SW)



9U13 GILT

height 2.33mm
4 years battery life (SR916SW)
battery detector function

PREMIUM SLIM

2 Hands



2 Hands Date




9 3/4'''



0R21 GILT

height 1.64mm
3.5 years battery life (SR914SW)

10 1/2'''



0R15 GILT

height 1.99mm
3.5 years battery life (SR914SW)

SMALL & SLIM

2 Hands



2 Hands



3 Hands



2 Hands



3 Hands



4'''



4S20 GILT

height 2.95mm
2 years battery life (SR512SW)
size: ø9.9 x 9.4mm


3 3/4'''

High Hand Pg.12



5R21 GILT

height 1.90mm
4 years battery life (SR416SW)
size: 9.0 x 13.2 x 13.5mm



5R32 GILT

height 2.00mm
2 years battery life (SR416SW)
size: 9.0 x 13.2 x 13.5mm

5 1/2 x 6 3/4'''

High Hand Pg.12



5Y20 GILT

height 2.54mm
4 years battery life (SR521SW)

High Hand Pg.12



5Y30 GILT

height 2.54mm
2 years battery life (SR521SW)

MIYOTA




SPECIAL-FUNCTION

6P MULTI SERIES

10½"


High Hand Pg.12

High Hand Pg.12




6P23

height 3.45mm
2 eyes (Date/24 hour)
3 years battery life (SR621SW)




6P25

height 3.45mm
2 eyes (Day/Date)
3 years battery life (SR621SW)




6P26

height 3.45mm
1 eye (Date)
3 years battery life (SR621SW)




High Hand Pg.12

High Hand Pg.12




6P05

height 3.45mm
3 eyes (Day/Date/Month)
3 years battery life (SR621SW)




6P27

height 3.45mm
3 eyes (Day/Date/24 hour)
3 years battery life (SR621SW)




6P29

height 3.45mm
3 eyes (Day/Date/24 hour)
3 years battery life (SR621SW)




6P89

height 3.85mm/month disc
3 eyes (Day/Date/24 hour)
3 years battery life (SR621SW)



6P09


height 3.45mm
4 eyes (Month/Day/Date/24 hour)
3 years battery life (SR621SW)



moon phase

6P00


height 3.45mm
3 eyes (Day/Date/Month)
3 years battery life (SR621SW)



moon phase

6P20


height 3.45mm
2 eyes (Day/Date)
3 years battery life (SR621SW)



moon phase

6P21


height 3.45mm
2 eyes (Day/Date)
3 years battery life (SR621SW)



moon phase

6P24

height 3.45mm
3 years battery life (SR621SW)



moon phase

6P80


height 3.85mm/date pointer
2 discs (Day/Month)
3 years battery life (SR621SW)

MIYOTA




JR MULTI SERIES

12½"




JR00

height 4.18mm
retrograde day/Date/24 hour
3 years battery life (SR621SW)



JR10

height 4.18mm
retrograde day/Date/24 hour
3 years battery life (SR621SW)



JR20

height 4.18mm
retrograde day/Date/24 hour
3 years battery life (SR621SW)


※ JR00, JR10, JR20, JS00, JS20, JS50, JS55 → Case Compatible (height 4.18mm)

JS STOP WATCH SERIES




Parallel Push Button
Available

12½"




JS00

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)




JS20

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)



JS50

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)



JS55

height 4.18mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)

※ JR00, JR10, JR20, JS00, JS20, JS50, JS55 → Case Compatible (height 4.18mm)


JS STOP WATCH SERIES with DATE

12½"

High Hand Pg.13


High Hand Pg.13

High Hand Pg.13




JS05

height 4.30mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)



JS15

height 4.30mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)



JS25

height 4.30mm
stopwatch 30min/sec, 24 hour
2 years battery life (SR621SW)

※ JS05, JS15, JS25 → Case Compatible (height 4.30mm)




MIYOTA



CHRONOGRAPH

OS BASIC SERIES


13½'''



OS10

height 4.13mm
chrono hour / min / sec
5 years battery life (SR927W)


High Hand Pg. 13
Up-Grade



OS20

height 5.10mm
chrono min / sec, 24 hour
5 years battery life (SR927W)


High Hand Pg. 13
Up-Grade



OS11

height 4.13mm
chrono min / sec
5 years battery life (SR927W)

Up-Grade




OS21

height 5.10mm
chrono min / sec, 24 hour
5 years battery life (SR927W)

Up-Grade

13½'''



OS00

height 5.10mm
chrono hour / min / sec
5 years battery life (SR927W)

Day
Date


※ OS00, OS20 → Case Compatible (height 5.10mm)



NEW


OS PROFESSIONAL SERIES

13½'''




OS60

height 4.13mm
Date Chrono
(1/20 Second)
chrono hour / min / sec + 1/20 second
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by
6H second hand (operative in specific mode)
2 years battery life (SR927W)




OS25

height 5.10mm
Date Chrono
(1/20 Second)
chrono min / sec + 1/20 second, 24 hour
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by
6H second hand (operative in specific mode)
2 years battery life (SR927W)




OS80

height 4.68mm
Date Alarm Chrono
(1/20 Second)
chrono hour / min / sec + 1/20 second & alarm
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by
6H second hand (operative in specific mode)
2 years battery life (SR927W)



OS90


height 4.13mm
Date Chrono
(1/100 Second)
chrono min / sec + 1/100 second, 24 hour
FAST TURNING CHRONO HAND:
1/100 sec. measuring indicated by
center hand (operative in specific mode)
2 years battery life (SR927W)



OS62

height 4.13mm
Date Retrograde Chrono
(1/20 Second)
chrono hour / min / sec + 1/20 second
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by
6H second hand (operative in specific mode)
2 years battery life (SR927W)

Date
Retrograde Chrono
(1/20 Second)



OS22

height 5.10mm
Date Retrograde Chrono
(1/20 Second)
chrono min / sec, 24 hour
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by
6H second hand (operative in specific mode)
2 years battery life (SR927W)

Date
Retrograde Chrono
(1/20 Second)




- Center second hand Chronograph
- Quick Reset (by Heart Cam reset system)
- Click feeling Push Button handling (by Heart Cam reset system)


FS SERIES

10½"

For Slanted Push Button




For Parallel Push Button



Dual Time

FS16


height 5.10mm
chrono min at 9H / sec at 6H /
24 hour at 12H
2 years battery life (SR626SW)



Dual Time

FS26


height 5.10mm
chrono min at 9H / sec at 6H /
24 hour at 3H
2 years battery life (SR626SW)



Dual Time

FS17


height 5.25mm
chrono min at 9H / sec at 6H /
24 hour at 12H
2 years battery life (SR626SW)



Dual Time

FS27


height 5.25mm
chrono min at 9H / sec at 6H /
24 hour at 3H
2 years battery life (SR626SW)



Day / Date

FS60


height 5.10mm
chrono min at 10H / sec at 6H /
retrograde day at 3H
2 years battery life (SR626SW)



Day / Date

FS61


height 5.25mm
chrono min at 10H / sec at 6H /
retrograde day at 3H
2 years battery life (SR626SW)



Date

FS00


height 4.13mm
chrono min at 10H / sec at 6H /
24 hour at 2H
2 years battery life (SR626SW)



Date

FS01


height 4.28mm
chrono min at 10H / sec at 6H /
24 hour at 2H
2 years battery life (SR626SW)



Date

FS10


height 5.10mm
chrono min at 9H / sec at 6H /
24 hour at 12H
2 years battery life (SR626SW)



Date

FS20


height 5.10mm
chrono min at 9H / sec at 6H /
24 hour at 3H
2 years battery life (SR626SW)



Date

FS11

height 5.25mm
chrono min at 9H / sec at 6H /
24 hour at 12H
2 years battery life (SR626SW)



Date

FS21

height 5.25mm
chrono min at 9H / sec at 6H /
24 hour at 3H
2 years battery life (SR626SW)

- Center second hand Chronograph
- Quick Reset (by Heart Cam reset system)
- Click feeling Push Button handling (by Heart Cam reset system)

※ FS16, FS26 → Case Compatible (height 5.10mm)
※ FS17, FS27 → Case Compatible (height 5.25mm)
※ FS10, FS20, FS60 → Case Compatible (height 5.10mm)
※ FS11, FS21, FS61 → Case Compatible (height 5.25mm)


MIYOTA



SPECIAL-FUNCTION

GP SERIES


12'''



Dual Time
Big Date

GP00


height 4.40mm
3 years battery life (SR920SW)



Dual Time
Big Date

GP01


height 4.40mm
3 years battery life (SR920SW)



Dual Time
Big Date
24 Hour

GP03


height 4.40mm
3 years battery life (SR920SW)



Big Date
Small Sec

GP10


height 4.40mm
3 years battery life (SR920SW)



Big Date
Small Sec

GP11


height 4.40mm
3 years battery life (SR920SW)



Big Date

GP30


height 4.40mm
3 years battery life (SR920SW)



Dual Time
Date

GP50

height 3.80mm
3 years battery life (SR920SW)



Dual Time
24 Hour
Date

GP52

height 3.80mm
3 years battery life (SR920SW)



MIYOTA

8

MECHANICAL

SLIM

11½"



9015

height 3.9mm
3 hands with date
28800 vibrations per hour
24 jewels
automatic and hand winding

NEW

SLIM - Front view Skeleton

11½"



90S5

height 3.9mm
3 hands
28800 vibrations per hour
24 jewels
automatic and hand winding

NEW

MULTI FUNCTION

13½"



9100

height 5.52mm
power reserve
3 hands with date
month / day / 24h
28800 vibrations per hour
26 jewels
automatic and hand winding

NEW

MECHANICAL

BASIC Automatic

3 Hands Date



11½"



8215

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting

3 Hands Day / Date



[82xx]

case all compatible
(height 5.67mm)



8205

height 5.67mm / 21 jewels
automatic and hand winding
quick day / date setting
bilingual weekday

Gilt

Gilt version available

8¾"




6T51

height 5.98mm / 21 jewels
automatic and hand winding
quick date setting / easy day setting
bilingual weekday

FINE FINISHING Automatic

11½"


3 Hands Date



821A

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting

3 Hands Date / 24 H




8217

height 5.67mm / 21 jewels
automatic and hand winding
quick date setting

2 Hands **Date** /
Small Second

NEW




8218

height 5.67mm / 21 jewels
automatic and hand winding
8245 : without date

2 Hands **Date** /
Small Second / 24 H

NEW



8219

height 5.67mm / 21 jewels
automatic and hand winding
8247 : without date

MIYOTA



SKELETON Automatic

Skeleton Model



11½"



8N24

height 5.55mm / 21 jewels
automatic and hand winding



8N24 GILT

height 5.55mm / 21 jewels
automatic and hand winding



Skeleton Model



SKELETON Hand Winding

11½"



8N33

height 4.47mm / 17 jewels
hand winding



8N33 GILT

height 4.47mm / 17 jewels
hand winding

8¾"



6T33

height 4.24mm / 17 jewels
hand winding




6T33 GILT

height 4.24mm / 17 jewels
hand winding

FRONT VIEW SKELETON Automatic

11½"


3 Hands



82S0

height 5.67mm / 21 jewels
automatic and hand winding


2 Hands /
Small Second



82S5

height 5.67mm / 21 jewels
automatic and hand winding

2 Hands /
Small Second / 24 H



82S7

height 5.67mm / 21 jewels
automatic and hand winding



[82xx]



case all compatible
(height 5.67mm)

MIYOTA





HIGH HAND SERIES

BASIC



2025 2026





2035

2036

2039

2033



203A



2115



2117

SLIM





1L22

1L26





1L32

1L36





5R21

5R22



5Y20


5Y26




5Y30

5Y36


6P SERIES




6P23/6P73




6P25/6P75




6P27/6P77



6P29/6P79




small hand height




center hand height


0S SERIES




0S10/0S1A



small hand height




center hand height



0S20/0S2A/0S2B




small hand height




center hand height


FS SERIES




FS00/FS03




FS01/FS04




small hand height




center hand height




FS10/FS13




FS11/FS14




FS20/FS23



FS21/FS24




small hand height




center hand height


JS SERIES




JS05/JS06




JS15/JS16



JS25/JS26



small hand height



center hand height

DISC SECOND

6³/₄ x 8''' 2 Hands
Disc Second



2034

height 3.15mm
high-torque for second-disc
14 months battery life (SR626SW)

10 YEARS BATTERY LIFE

6³/₄ x 8''' 3 Hands
Date



1L60

height 4.30mm
10 years battery life (CR1616)

2S60

height 3.99mm
10 years battery life (CR2012)

10¹/₂'''

3 Hands
Day / Date



2S65

height 4.22mm
10 years battery life (CR2012)

10¹/₂'''

ALARM

10¹/₂''' 3 Hands



6L71

height 3.95mm
repeat alarm
2 years battery life (SR626W)

10¹/₂''' 3 Hands Date



6L76

height 4.47mm
repeat alarm / date
2 years battery life (SR626W)

SOLAR

13¹/₂''' 3 Hands



5L81

size : ø 30.8 x 26.0mm
height 5.41mm (incl. Solar-cell and dial)
5 months battery life after full charge
including half transparent dial
(Dial to be colored or printed at your side)

24H / DUAL TIME

10¹/₂''' 3 Hands / Date
24H / Dual Time



6M17

height 3.30mm
24 hour hand / dual time / date
3 years battery life (SR621SW)

E/L

13''' 3 Hands



6N30

height 3.55mm
electro-luminescent display
2 years battery life (SR621W)

13''' 3 Hands Date



6N10

height 4.30mm
date / electro-luminescent display
2 years battery life (SR621W)

MIYOTA

YOUR ENGINE




COMING SOON

ØS series

6S series

FS series

Your Choice Enlarged



ØS series
13-½"

6S series
15"

FS series
10-½"

CITIZEN WATCH CO., LTD.

MOVEMENT DIVISION

Tokyo Head Office

Address : 6-1-12, TANASHI-CHO, NISHI TOKYO-SHI, TOKYO, 188-8511, JAPAN

Phone : +81-424-67-6218

Fax : +81-424-67-1549

Home Page : http://www.citizen.co.jp/miyota_mvt/

E-mail : miyota_mvt@citizen.co.jp

Hong Kong Office

Unit 3704, 37/F, AIA Tower, 183 Electric Road, North Point, Hong Kong

Phone : +852-2219-7833

Fax : +852-2219-7811